



THE DOOR OF BEAUTY AND INNOVATION





We choose a door for its aesthetic qualities, but doors offer so much more than aesthetics. Your front door is a warm familiar place where new guests arrive and a cheerful announcement when friends come. We live our lives through them. Our front door sees us when we start our day and are ready to take on new opportunities. It's also a gentle embrace at the end of the day, welcoming us to our home and family. Doors aren't just doors; they're a reflection of us and our home. They help us and our families feel safe and protected. We know how important it is to choose a door that best represents you, makes you feel secure, and fits your needs.

ABOUT PLASTPRO

Since 1994, Plastpro has always believed in providing a superior product with the best value, technology, and commitment to our customers. Our fiberglass doors offer the beauty and versatility of wood doors, but are strong like steel doors. Wood and steel doors have been preferred in the industry, but both come with problems such as: rotting, rusting, and weather damage. Our fiberglass doors are the best solution and are not susceptible to weather damage, require less maintenance, and offer higher performance ratings. We've introduced the first door with composite stiles and rails, HydroShield technology, and composite Polyfibger (PF) Frames to the industry. Our doors feature a full length LVL block that provides stronger rigidity and a range of door locks and hardware to be installed for increased security. We carry a wide variety of designs, sizes, and styles that are bound to complement everyone's home.

Since the beginning, we've not only been committed to providing superior products, but also in creating opportunities. Our goal is to create positive changes for not only our employees and customers, but also for our community. We believe in doing good for the world and making a difference. For us, success is only as good as the good it creates. We've continuously partnered with Habitat for Humanity in order to create affordable, green houses for low-income families across the nation. We've donated more than 500 doors to various chapters of Habitat for Humanity and other non-profit organizations. When you buy a Plastpro door, you not only get a beautiful door with the best quality, you become part of Plastpro and join us in giving back to others.

TABLE OF CONTENTS

5	TECHNOLOGY
6-7	PLASTPRO'S QUALITY
8-9	ARRIVING PRODUCTS
10-13	PF™ DOOR FRAMES
14-15	CHOOSING YOUR DOOR
16-17	DOORABILITY
18-23	DOOR SERIES OVERVIEW
24-35	GLASS OVERVIEW
204 - 211	SPECIALTY SERIES (FIRE RATED, HVHZ, TRIMABLE & RESIDENTIAL ADA)



212 - 215	PRE-FINISH KIT & STAIN / PAINT GUIDES
216 - 217	LEED CONTRIBUTIONS
218 - 225	PRODUCT INDEX

PATENTED HYDROSHIELD™ TECHNOLOGY

Our exclusive HydroShield Technology protects our doors against moisture and humidity infiltration, by creating a fully composite barrier that encases and protects the door on all six sides. It prevents warping, delamination, corrosion, rotting, and the buildup of mold and mildew. Our doors with HydroShield Technology used with our Polyfiber (PF) Door Frames create an enhanced, impenetrable entryway.



1 FIBERGLASS REINFORCED DOOR SKINS

Our exclusive formula is measured precisely to ensure each skin is produced to the highest quality. With unlimited design options, customized panel configurations are possible. The skins require little maintenance and will not splinter, dent, warp, rot, or rust. They can be painted, stained, and we provide a variety of graining options.

2 FULL LENGTH COMPOSITE STILES

Our full-length composite stiles protect the door from external moisture to prevent warping or rotting. They have twice the screw-holding strength of wood.

3 COMPOSITE TOP & BOTTOM RAILS

High strength composite top and bottom rails prevent moisture from seeping into the door and stops the buildup of mold.

4 EXTENDED LOCKBLOCK

Plastpro's full length LVL allows any type of lock to be placed for increased security.

5 POLYURETHANE FOAM CORE

Our advanced CFC-free, high density, Polyurethane foam core enhances the door's soundproofing capabilities and provides insulation up to six times greater than wood doors.

BACKED BY WARRANTY

We are proud to offer one of the best warranties in the industry. Plastpro products are held to high standards. We stand behind our products and guarantee the best quality to meet your performance expectations.



PLASTPRO DOOR



- 1** Full length composite top and bottom rails enhance the durability and performance of the door by preventing any water penetration, which eliminates the natural cracking found with wood.
- 2** High impact skin with beautiful old world craftsmanship will not split, dent, or rust.
- 3** Full length composite stiles offer non-porous protection that prevents water from seeping into the door, which eliminates the natural cracking that occurs with wood.
- 4** Full length LVL block provides stronger rigidity and a range of door locks and hardware to be installed on the door to increase security.
- 5** Polyfiber (PF) Door Frame is durable, long-lasting, and enhances the quality and performance of the entryway when used with our door.

THEIR DOOR



- 1** Composite bottom rails with wood exposed on the bottom of door allowing for moisture penetration.
- 2** Shallow embossed skin resembling steel doors, reducing curb appeal.
- 3** Limited length wood stiles allow moisture to enter creating future maintenance issues.
- 4** Average wood lock block of 12".
- 5** Wood frame material will crack or rot over time.





Rustic Door • DRA2P80



PFT™ DOOR FRAMES

To have a complete entry system, it is important to consider the material of the door frame. Wood doors and frames are prone to warping, rotting, and cracking, while steel doors and frames can rust and dent. You don't want to install a door that will fail, nor do you want to install a frame that will fail.

Plastpro's Polyfiber (PF) Door Frames are a uniquely formulated and innovative alternative to traditional door frames. They combine the beauty of wood with the strength of steel. The material is durable, long-lasting, and is more thermally resistant than either wood or metal. The advanced system can be installed the same way as traditional wood frames with no added hassle. When used together with a fiberglass door, they create an enhanced, impenetrable entryway.

FEATURES & BENEFITS

- Equipped with HydroShield technology, it will not absorb or wick moisture, and prevents warping, rotting, and splitting.
- Frame is not able to be infested with termites at any point along the structure.
- Has twice the screw holding power of traditional wood door frames.
- More versatility in design. Available in various lengths and widths that can be stained as well as painted.
- Maintenance free and energy efficient.

FRAME DECAY COMPARISON



PLASTPRO PFT™ DOOR FRAME

*with Hydroshield Technology™



TRADITIONAL WOOD FRAME

Susceptible to rotting, warping and decay



4 5/16" DOOR FRAME



6 9/16" DOOR FRAME



5 1/4" DOOR FRAME




7 1/4" DOOR FRAME



1 1/4" x 3" FRAME EXTENSION



WM180 BRICK MOULD



WM176 FL. BRICK MOULD




1" x 2" STUCCO MOULD



PRIMED BACKBAND



NAILING FIN



J-CHANNEL




FLAT CASING



FLAT CASING J-CHANNEL



TRIM BOARDS



TRANSOM SILLS

- 4 9/16"
- 6 9/16"



MULL POSTS

- 1 1/2" x 3 9/16" x 2 1/2"
- 1 1/2" x 4 3/8" x 2 1/2"
- 1 1/2" x 3 9/16" x 2"
- 1 1/2" x 4 3/8" x 2"



MULL POST COVERS (EXT.)

- 1 1/2" x 1"
- 2" x 1"



MULL POST COVERS (INT.)



STORM DOOR ADAPTERS

- 1" x 2 1/2"
- 1" x 3"



SIDELITE STOPPER



ASTRAGAL



PFT™ ARCH HEADERS



PFT™ RADIUS HEADERS



MATCHING DOOR		MATCHING KIT CODE	PRODUCT DIMENSION
DRA2C		PFG043068AK	4 ⁹ / ₁₆ " Arch Frame Kit*
DRA2E		PFG063068AK	6 ⁹ / ₁₆ " Arch Frame Kit*
DRAPC	DRA1C80	PFG043080AK	4 ⁹ / ₁₆ " Arch Frame Kit*
DRAPC70	DRA2C80	PFG063080AK	6 ⁹ / ₁₆ " Arch Frame Kit*
DRAPC80			
DRAPC-36	DRAPC80-36	PFG043680AK	4 ⁹ / ₁₆ " Arch Frame Kit*
DRA2E-36	DRA1C80-36	PFG063680AK	6 ⁹ / ₁₆ " Arch Frame Kit*
DRAPC70-36	DRA2C80-36		

PFT™ FRAMES ARCH HEADER KIT

*ALL KITS INCLUDE BRICK MOULD

MATCHING DOOR		MATCHING KIT CODE	PRODUCT DIMENSION
DRAPR	DRA2F80	PFG04030H0RHK	4 ⁹ / ₁₆ " Radius Frame Kit*
DRAPR70	DRA4C80	PFG06030H0RHK	6 ⁹ / ₁₆ " Radius Frame Kit*
DRAPR80			
DRAPR-36	DRAPR80-36	PFG04036H0RHK	4 ⁹ / ₁₆ " Radius Frame Kit*
DRAPR70-36	DRA4C80-36	PFG06036H0RHK	6 ⁹ / ₁₆ " Radius Frame Kit*
DRAPR-36	DRAPR80-36		
DRAPR70-36			

PFT™ FRAMES RADIUS HEADER KIT

*ALL KITS INCLUDE BRICK MOULD

ARCH & RADIUS HEADER KITS

The shape of an arched and radius door isn't the only thing that makes it different from a traditional rectangular door. Arch doors exude style and give your entryway a brand new look. Plastpro is the only fiberglass door manufacturer able to offer full composite frames to match arch or radius top doors.




Plastpro reinforced door skins are produced with the highest quality and are available in a variety of graining options. For a detailed list of graining available per product, please refer to the chart below.

	OAK GRAIN	FIR GRAIN	MAHOGANY	PRIMED	WHITE CAPPED
4 9/16" DOOR FRAME	●	●	●	●	●
5 1/4" DOOR FRAME	●			●	●
6 9/16" DOOR FRAME	●	●	●	●	●
7 1/4" DOOR FRAME	●			●	●
WM180 BRICK MOULD	●	●	●	●	●
WM176 FLORIDA BRICK MOULD	●			●	
1" x 2" STUCCO MOULD				●	
PRIMED BACKBAND				●	
NAILING FIN	●			●	●
J-CHANNEL	●			●	●
FLAT CASING	●			●	●
FLAT CASING J-CHANNEL	●			●	●
TRIM BOARDS	●	●	●	●	●
TRANSOM SILLS	●	●	●	●	●
MULL POSTS	●			●	●
MULL POST COVERS (EXTERIOR)	●	●	●		●
MULL POST COVERS (INTERIOR)	●	●	●		●
STORM DOOR ADAPTERS	●	●	●	●	●
DOOR FRAME EXTENSIONS	●	●	●	●	●
SIDELITE STOPPER				●	
ASTRAGAL	●			●	
PFT™ ARCH & RADIUS HEADERS	●				

CHOOSING YOUR DOOR SYSTEM

STEP 1: CHOOSE DOOR TYPE & PANELING



STEP 2: CHOOSE DECORATIVE GLASS




STEP 3: CUSTOMIZE YOUR ENTRY SYSTEM

- CREATE A DOUBLE DOOR ENTRY WAY
- ADD ONE OR TWO MATCHING SIDELITES
- ADD A MATCHING TRANSOM
- ADD DOOR ACCESSORIES
- COMPLETE WITH PF™ DOOR FRAME




STEP 4: CHOOSE FINISH


Plastpro's Pre-Finish Staining Kit contains everything you need to stain one prehung door and two sidelites, or one double door unit.



CHOOSE YOUR DOOR DIGITALLY



Sometimes it's hard to imagine what a door would look like on your home. A unique home like yours needs a door to complement it perfectly. Our Doorability tool takes the guess work out and lets you see our doors on your home. We have designed a visualizing tool that allows you to upload a photo of your home and instantly add a variety of door and glass options to visual your homes new door.



CUSTOMIZE YOUR DREAM ENTRY WAY AT www.plastproinc.com/doorability

- EASY TO USE
- VISUALIZE THE PERFECT DOOR ON YOUR HOME
- SAVE AND EMAIL YOUR CUSTOM DOOR
- DRAW IN YOUR OPENING FOR AN ACCURATE VISUALIZATION

MODERN



The Modern Series effortlessly makes a contemporary design simpler.

LIMITED



Our Limited Series was specifically selected to showcase some of the richest, luxury graining available.

RUSTIC



Our Rustic Doors were designed to provide classic charm, while bringing traditional, upscale appeal to any home.

MAHOGANY



The Mahogany Series brings a beloved wood texture into traditional, timeless styles.

FIR GRAIN



Our Fir Grain Series creates fine details and gives your home a traditional, craftsman appeal.

OAK GRAIN



Dressed in a rich oak grain texture, our Oak Grain Series gives a classic look to your home.

SMOOTH



The Modern Series effortlessly makes a contemporary design simpler.

TRUE WHITE OAK



The True White Oak Series combines the best features from our Smooth and Oak Grain doors. Any home can enjoy a rich oak texture pattern in a pre-pigmented white skin.

ONELITE



Our Onelite Series allows the ultimate amount of light into your home.



GLASS OVERVIEW

PAGES 16 - 27

A beautifully designed entryway helps set the stage for the rest of the home and creates a welcoming passage from public space to private abode. Nothing accomplishes that better than our exclusive glass designs that improve the look and value of your home while adding beauty to your everyday living.

Our doorlites are composed of a piece of decorative glass sealed between two pieces of tempered safety glasses, that provide excellent safety, sound, and thermal performance.

The state-of-the-art Warm Edge spacer system provides a seal that protects and insulates your door & home for years to come. Unlike the competition, our metal caming includes a gasket that cushions & protects the glass from chipping, cracking, and rattling during door movement.

DOORLITE

INSULATING SYSTEM

All Plastpro Decorative Doorlites are made with Super Spacer® Cushion Edge™, a flexible, U-shaped, silicone foam tape product used to wrap around and cushion our center decorative panel. Featuring a vapor barrier backing, the product used in combination with Hot Melt butyl, provides a superior Warm-Edge seal.


PERFORMANCE FEATURES

Warm-Edge Benefits: Superior silicone foam insulation, low thermal conductivity

Silicon Foam Features: Excellent UV resistance and extreme temperature performance

Dual-Seal Performance: Chamfered corners for increased sealant depth

Tempered Safety Glass for your peace of mind



*This illustration applies to our triple pane glass only.

GLASS CAMING

GLASS CAMING OPTIONS

Our exclusive glass designs are offered with different caming options to match a variety of hardware finishes.



WROUGHT IRON



PATINA



ZINC

GLASS FRAMES

BTHP™ SNAP-ON FRAMES

Our exclusive BTHP™ Snap-on Frames employ a series of specially designed clips that lock decorative glass firmly in place. Our BTHP™ Frames have no unsightly plugs or screws, and create a cleaner, more natural appearance in any entryway. Able to withstand temperatures over 200 degrees Fahrenheit, this frame is perfect for use in any door.



WROUGHT IRON FRAMES

This maintenance-free Wrought Iron doorlite frame resists rust and corrosion while working to keep cold out in the winter and heat out in the summer. Specially engineered to complement the range of cutouts in the Rustic Series, each frame is beautifully hand made and has a durable powder coat finish. May also be used in select Smooth Skin, Woodgrain, and True White Oak doors.



CAMELIA

CAMING: WROUGHT IRON
TRANSOM: AVAILABLE



Camelia glass series simplifies the wrought iron curvature, which contrasts against the waterfall textured background. This glass portrays sophistication, with a hint of ardor.

- 1 Wrought Iron
- 2 Waterfall Tempered Glass




PRISCILLA

CAMING: WROUGHT IRON
TRANSOM: AVAILABLE



The wrought iron lines gently curve to form an intricate pattern against the bubble tempered glass, finding the perfect blend between its dainty figure and dense structure.

- 1 Wrought Iron
- 2 Little Bubble Tempered Glass



CHIANTI

CAMING: WROUGHT IRON
TRANSOM: AVAILABLE



This arrangement finds the ideal balance between simplistic and complex as the clean wrought iron lines enhance the intricacy of the rainfall textured glass. The combination of straight and curved lines artistically blends to create a pattern as bold as its namesake.

- 1 Wrought Iron
- 2 Rain Glass



ABERDEEN

CAMING: ZINC
TRANSOM: AVAILABLE



For a more modern feel, this pattern mirrors a futuristic model with its stark, clean profile and frosty reed glass that is perfect for maintaining privacy within your home.

- 1 Zinc Caming
- 2 Reed Glass



ARTESANO

CAMING: PATINA
TRANSOM: AVAILABLE




Similar to its counterpart, Artesano Breeze, this design includes hints of yellowish tint to the otherwise clear and simplistic pattern, adding subtle details to this 1920's inspired piece.

- 1 Clear Hammer (100HS)
- 2 Patina Caming
- 3 Amber Glass
- 4 Sea Spray
- 5 Clear Bevel



PRIVACY RATING
INCREASING OBSCURITY →



ARTESANO BREEZE

CAMING: ZINC
TRANSOM: AVAILABLE




This glass takes us back to the early twentieth century with its tasteful blend of small and large geometric figures. This pattern's transparent features work to create an overall delicate formation.

- 1 Clear Hammer (100HS)
- 2 Zinc Caming
- 3 Clear Bevel
- 4 Sea Spray



PRIVACY RATING
INCREASING OBSCURITY →



BRENTWOOD

CAMING: ZINC OR PATINA
TRANSOM: AVAILABLE



Another classically inspired arrangement, our Brentwood piece epitomizes a dominant-styled glass as demonstrated by its bold centerpiece, which is outlined by a crystal-like granite border.

- 1 Baroque
- 2 Clear Bevel
- 3 Bright Zinc, or Patina Caming
- 4 Granite



PRIVACY RATING

INCREASING OBSCURITY



CASTILE

CAMING: PATINA
TRANSOM: AVAILABLE




Ornate in its nature and history, this baroque-inspired glass balances the intricacy of its centerpiece with a straight-lined, beveled border.

- 1 Granite
- 2 Baroque
- 3 Patina Caming
- 4 Beveled



PRIVACY RATING

INCREASING OBSCURITY



CHARLOTTE

CAMING: ZINC OR PATINA
TRANSOM: AVAILABLE




The grand nature of our Charlotte glass is magnified by the detail within its glass combinations and ornately constructed centerpiece. This glass emanates the nobility of its name, capturing the essence of its French influence.

- 1 100 Water
- 2 Lava
- 3 Clear Bevel
- 4 Bright Zinc, or Patina Caming



PRIVACY RATING
INCREASING OBSCURITY →



ELIZABETH

CAMING: PATINA
TRANSOM: AVAILABLE



The patina caming feature separates the diverse combination of glass textures into a complex geometric pattern. Its grooved border contrasts the smooth consistency of the glass within, framing this picture-perfect glass design.

- 1 Granite
- 2 Sable
- 3 Mistlite
- 4 Patina Caming



PRIVACY RATING
INCREASING OBSCURITY →



KENSINGTON

CAMING: PATINA
TRANSOM: AVAILABLE




The combination of the frosted, straight and horizontal lines creates a more indigenous pattern that is underlined by the clear, water-like texture within its border. The scene depicted in this glass arrangement illustrates lush, green fields beside a refreshing body of water.

- 1 100 Water
- 2 Clear Bevel
- 3 Narrow Reed
- 4 Sandblasted Glass
- 5 Patina Caming



PRIVACY RATING
INCREASING OBSCURITY →




OXFORD

The frosted glass feature on this design allows for good privacy and seclusion, but is contradicted by the transparent check design that adds a hint of modern dimension to its elegant disposition.

- 1 Clear
- 2 Satin Etch




PRIVACY RATING
INCREASING OBSCURITY →



RIVERTON

Powerful bevels frame the bright, frosted glass without overriding the simplicity of the design, while each corner takes on a medieval feel that add a touch of character to its modest nature.

- 1 Clear Bevel
- 2 Satin Etch




SOLSTICE

CAMING: PATINA
TRANSOM: AVAILABLE



Our Solstice arrangement provides a simplistic border outlined in patina caming. The frosted glass creates a sense of complete seclusion, while small sections of the design allow for minimal light to come through.

- 1 Sable 3.0 MM Outer Border
- 2 Clear Pencil Bevel for Inner Border
- 3 Sable Bevels Center Background
- 4 Patina Caming



MINIBLINDS

CAMING: Clear Insulated Glass & LoE Glass


We've reinvented our Miniblinds feature to offer a clean, cordless design that incorporates a single, easy-to-use lever to control the height as well as the tilt of your blinds. Their placement between our LoE or Clear IG glass options eliminates dusting, making these Miniblinds effective and painless.

- 1 Miniblind
- 2 Clear IG or Low-E Glass



PRIVACY RATING

INCREASING OBSCURITY ----->





Smooth Door • DRS00 • Glass ARTFL7P

FIRE RATED



Made with fire-resistant composite, Plastpro Fire Rated doors are extremely durable. Our doors are tested and comply with safety and performance standards to withstand fire for a minimum of 20 minutes. Certain models are available to hold off fire for 60 and 90 minutes. Most importantly, our doors provide a safe home without ever sacrificing style.



= 20min rating option available



= 60min rating option available



= 90min rating option available

Contact us for stock availability.



TRIMMABLE

Our Trimmable Series is designed to fit in a variety of existing entry ways. Adjustments up to 2" in height and width can be made to the door through your contractor. Trimmable doors are available in Oak and Smooth skin. This is the door your home has been waiting for.



= Trimmable Option Available. Contact us for stock availability.



HVHZ IMPACT



Plastpro's High Velocity Hurricane Zone (HVHZ) Impact Doors are engineered to withstand the force of flying objects, while maintaining all the benefits and beauty of our door aesthetic. Our Impact Doors are created, tested, and certified to meet the most stringent wind and impact code requirements in the nation. Our innovative R&D Department has pioneered a unique patent-pending process whereby a missile-proof shield is built-in to reinforce the door.

 = HVHZ Option Available. Contact us for stock availability.

RESIDENTIAL ADA

Our Residential ADA doors are offered in a variety of styles that fulfill all compliances. From Modern to True White Oak, our Residential ADA series has a 10" bottom rail that allows a kick plate to be installed. We have the option to include reinforced blocking through a special order.

 = Residential ADA Option Available. Contact us for stock availability.



LIMITED SERIES



Knotty Alder Door • DRK2B



Cherry Door • DRC21

Our Limited Series was specifically selected to showcase some of the richest, luxury graining available. The Cherry, Knotty Alder, and Teak doors are fine, subtle, but detailed and will undeniably enrich your home. Cherry is a premium American hardwood, prized for its natural luster and attractive grain. Knotty Alder is admired for its subtle straight grain pattern and sound knots. These grains exude an authentic wood grain and are so versatile they will complement any home. Teak gives off a luxury feel that is perfect for our Limited Series, which expertly blends simplicity with stark design.

ALL LIMITED DOORS ARE SHOWN PRE-FINISHED

6'8"



2'8" • 2'10" • 3'0"

DRC21



6'8"



2'8" • 2'10" • 3'0" • 3'6"

DMT51



7'0"



3'0" • 3'6"

DMT5170



6'8"




2'8" • 2'10" • 3'0"


DRK2B



CHERRY TWO PANEL DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

TWO PANEL DOOR

6'8"



SPRFL7P

6'8"



TABFL7P

6'8"



MBC/MBLFL7

6'8"



CAMFL1

6'8"



PCLFL1

6'8"



CHIFL1

6'8"



ABRFL1Z

6'8"



ARTFL1P

6'8"



ARZFL1Z

6'8"



BREFL1P/Z

6'8"



CASFL1P

6'8"



CHRFL1P

6'8"



ELZFL1P

6'8"



KENFL1P

6'8"



OXFFL1

6'8"



RIVFL1

6'8"



SOLFL1P

6'8"



SPRFL1P

6'8"



TABFL1P

6'8"



MBC/MBLFL1

MODERN TEAK MILAN DOOR

6'8"



2'8" • 2'10" • 3'0" • 3'6"

DMT51

7'0"



3'0" • 3'6"

DMT5170



GRAIN CLOSE UP

SQUARE TOP


KNOTTY ALDER TWO PANEL DOOR

6'8"

28" • 2'10" • 30"



DRK2B



GRAIN CLOSE UP

● IN STOCK

● EXTENDED LEAD TIME

LIMITED SERIES



35

MODERN












Smooth Modern Door • DMG46



The Modern Door Collection combines sleek contemporary design with technologically advanced construction. Our Carved Doors add an elegant and contemporary feature like no other fiberglass door on the market, while our flushed glazed profiles create a true modern look without unsightly screw holes.

ALL MODERN DOORS ARE SHOWN PRE-FINISHED¹

DOOR OVERVIEW

<p>6'8"</p>  <p>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p>	<p>8'0"</p>  <p>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p>	<p>6'8"</p>  <p>2'6" • 2'8" • 2'10" • 3'0"</p>	<p>8'0"</p>  <p>2'6" • 2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p>	<p>8'0"</p>  <p>3'0" • 3'6"</p>
<p>DMG46</p>  <p>6'8"</p>  <p>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p> <p>DMS1R</p> 	<p>DMG4680</p>  <p>8'0"</p>  <p>3'0" • 3'6"</p> <p>DMS1R80</p> 	<p>DMG51</p>  <p>6'8"</p>  <p>2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p> <p>DMS1T</p> 	<p>DMG5180</p>  <p>8'0"</p>  <p>3'0" • 3'6"</p> <p>DMS1T80</p> 	<p>DMS1L</p>  <p>6'8"</p>  <p>2'6" • 2'8" • 2'10" • 3'0"</p> <p>DMS3H</p> 	<p>DMS1L80</p>  <p>8'0"</p>  <p>2'6" • 2'8" • 2'10" • 3'0"</p> <p>DMS3H80</p> 
<p>6'8"</p>  <p>2'6" • 2'8" • 2'10" • 3'0"</p> <p>DMS5H</p> 	<p>8'0"</p>  <p>2'6" • 2'8" • 2'10" • 3'0"</p> <p>DMS5H80</p> 				


MODERN OAK SOUTH BEACH DOOR

6'8"



DMG46

8'0"



DMG4680

MODERN OAK NAPOLI DOOR

6'8"



DMG51

8'0"



DMG5180


MODERN SMOOTH BIENVENUE DOOR



GLASS OPTIONS




MODERN GLASS CLOSE UP



MODERN SMOOTH BIENVENUE DOOR


FLUSH GLAZED SINGLE RIGHT LITE




GLASS OPTIONS



MODERN GLASS CLOSE UP




MODERN SMOOTH MARTINIQUE DOOR



GLASS OPTIONS



MODERN GLASS CLOSE UP



MODERN SMOOTH EMPIRE DOOR

6'8"



DMS3H

8'0"



DMS3H80

MODERN SMOOTH INFINITY DOOR

6'8"



DMS5H

8'0"




DMS5H80



Modern Door • DMG46

RUSTIC




Rustic Door DRAPR70 • Hinge Strap ACCHGSTP18



Our line of Rustic Doors are produced to provide a classic charm while bringing a contemporary appeal to any home. Any door in the Rustic Series contains deep graining and distinct panel detail that resembles true distressed wood without any drawbacks.

ALL RUSTIC DOORS ARE SHOWN PRE-FINISHED

DOOR OVERVIEW



HVHZ IMPACT NOT AVAILABLE IN 3'6"

IN STOCK

EXTENDED LEAD TIME

RUSTIC TRUE PLANK DOOR

ARCH TOP

6'8"



2'6" • 3'0" • 3'6"

DRAPC

7'0"



2'6" • 3'0" • 3'6"

DRAPC70

8'0"



2'6" • 3'0" • 3'6"

DRAPA80

RUSTIC TRUE PLANK DOOR

RADIUS TOP

6'8"



2'6" • 3'0" • 3'6"

DRAPR

7'0"



2'6" • 3'0" • 3'6"

DRAPR70

8'0"



2'6" • 3'0" • 3'6"

DRAPR80

RUSTIC TRUE PLANK DOOR

6'8"



2'6" • 3'0" • 3'6"

DRATP

7'0"



2'6" • 3'0" • 3'6"

DRATP70

8'0"



2'6" • 3'0" • 3'6"

DRATP80

RUSTIC ONE PANEL DOOR

8'0"



3'0" • 3'6"

DRA1A80

RUSTIC ONE PANEL DOOR

ARCH PLANK & ARCH TOP

8'0"



3'0" • 3'6"

DRA1C80

RUSTIC ONE PANEL DOOR

SQUARE PLANK & SQUARE TOP

6'8"



3'0"


DRA1P

8'0"




3'0" • 3'6"

DRA1P80



GLASS OPTIONS



RUSTIC TWO PANEL DOOR

SQUARE PANEL & SQUARE TOP

6'8"



DRA2B

SLA2B

GLASS OPTIONS

6'8"



CAM344

6'8"



PCL344

6'8"



CHI344

6'8"



CAMFL7

6'8"



PCLFL7

6'8"




CHIFL7

RUSTIC TWO PANEL DOOR



GLASS OPTIONS



RUSTIC TWO PANEL DOOR

ARCH PANEL & SQUARE TOP

6'8"

2'10" • 3'0" • 3'6"



DRA2D

GLASS OPTIONS

6'8"



CAM3R4

6'8"



PCL3R4

6'8"



CHI3R4

6'8"



CAM344

6'8"



PCL344

6'8"



CHI344

RUSTIC TWO PANEL DOOR

6'8"

2'10" • 3'0" • 3'6"



DRA2E

6'8"



CAM3R4

6'8"



PCL3R4

6'8"



CHI3R4

RUSTIC TRUE PLANK DOOR

8'0"

3'0"



DRA2F80

RUSTIC TWO PANEL DOOR

SQUARE PLANK & SQUARE TOP

8'0"



3'0" • 3'6"

DRA2P80

8'0"



CAMHL6
CAM346 (3'6")

8'0"



PCLHL6
PCL346 (3'6")

8'0"



CHIHL6
CHI346 (3'6")

RUSTIC TWO PANEL DOOR

RADIUS PANEL & SQUARE TOP

8'0"



3'0"

DRA2R80

8'0"



3'0" • 3'6"

DRA4C80

8'0"



3'0" • 3'6"

DRA4R80



RUSTIC ACCESSORIES

1.5" Square



ACCLP12Q

1.25" Square



ACCLP14Q

1.5" Round



ACCLP12R

1.25" Round



ACCLP14R

DECORATIVE CLAVOS

Plastpro Decorative Clavos provide the perfect accent to some of the most beautiful and highest quality fiberglass doors in the industry. In addition to providing a distinct and unique element to any fiberglass distressed door, our Decorative Clavos enhance our fiberglass entry doors, and provide the perfect "finishing touch" to virtually every Rustic Door we provide.

FEATURES & BENEFITS

- Easy to Apply
- Scientifically Formatted Adhesive Unique for Fiberglass Doors
- Masterfully Crafted Premium Metal Alloy
- Tough and Durable Powder Coat Finish



6'8"

DRA1P
ACCLP14Q



8'0"

DRA1P80
ACCLP14Q



6'8"

DRA2C
ACCLP14R



8'0"

DRA2C80
ACCLP14R



8'0"

DRA1A80
ACCLP12Q



8'0"

DRA1C80
ACCLP12R

Speakeasy



ACCSPKY0910KIT

Speakeasy



ACCSPKYGSB0KIT

SPEAKEASY & HINGE STRAP

Plastpro has extended its line of authentic door accessories with the addition of the Hinge Strap and a Speakeasy Kit. Our Hinge Straps and Speakeasy Kit are handcrafted from durable aluminum that resists rust and discoloration. The Speakeasy Kit comes with a distinctive rounded iron grill that enhances the old world styling of our Rustic Door Collection and helps to create a personalized look for your new entry way.

18" Hinge Straps



ACCHGSTP18

FEATURES & BENEFITS

- Durable Powder Coat Finish
- Combats Rust and Discoloration
- Beautifully Textured
- Masterfully Handcrafted

View In
6'8"



DRA2D
ACCSPKY0910KIT

View Out
8'0"



DRA2R80
ACCHGSTP18
ACCSPKY0910KIT

View In
6'8"




DRA2D
ACCSPKYGSB0KIT

View Out
8'0"



DRA2R80
ACCHGSTP18
ACCSPKYGSB0KIT

View Out
8'0"



DRAPR80
ACCHGSTP18

MAHOGANY



The Mahogany Series brings a beautiful hardwood tone that conveys the strong spirit of Mahogany with all the strength and integrity found in fiberglass. Each door is meticulously manufactured utilizing Plastpro's HydroShield Technology™ to guarantee the highest quality.

ALL MAHOGANY DOORS ARE SHOWN PRE-FINISHED

DOOR OVERVIEW

6'8"



3'0"

DRM3D



6'8"



3'0"

DRM4E



6'8"



2'6" • 2'8" • 2'10" • 3'0"

DRM40



6'8"



3'6"

DRM41

6'8"



3'0"

DRM60



8'0"



3'6"

DRM6080

MAHOGANY THREE PANEL DELUXE DOOR

6'8"



3'0"

1'0" • 1'2"

DRM3D

SLM3D

GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"



CHR3V2P/Z

6'8"



TAB3V2P

6'8"




BRE3V1P/Z

6'8"



CAS3V1P

6'8"



CHR3V1P/Z

6'8"



TABFL1P

MAHOGANY FOUR PANEL EYEBROW DOOR

6'8"



30"

DRM4E

SLM60

10" • 12"

6'8"



BREEYEP/Z

● IN STOCK

● EXTENDED LEAD TIME



Mahogany Door • DRK2B • Glass CAS3v2P

MAHOGANY FOUR PANEL BLANK TOP DOOR

6'8"



DRM40

SLM60

GLASS OPTIONS

6'8"



CASHR1P

6'8"



CHRR1P/Z

6'8"



TABHR1P

6'8"



CHIHL4
CHIHL3 (2'6")

6'8"



ARHL4P
ARHL3P (2'6")

6'8"



ARZHL4Z
ARZHL3Z (2'6")

6'8"



BREHL4P/Z

6'8"



CASHL4P
CASHL3P (2'6")

6'8"



CHRH4P/Z

6'8"



ELZHL4P
ELZHL3P (2'6")

6'8"



KENHL4P
KENHL3P (2'6")

6'8"



OXFHL4

6'8"



RIVHL4

6'8"



SOLHL4P
SOLHL3P (2'6")

FOUR PANEL BLANK TOP DOOR

6'8"



SPRHL4P

6'8"



**TABHL4P
TABHL3P (2'6")**

6'8"



MBC/MBLHL4

6'8"



**CAMFL7
CAMFL5 (2'6")**

6'8"



**PCLFL7
PCLFL5 (2'6")**

6'8"



**CHIFL7
CHIFL5 (2'6")**

6'8"



**ABRFL7Z
ABRFL5Z (2'6")**

6'8"



**ARTFL7P
ARTFL5P (2'6")**

6'8"



**ARZFL7Z
ARZFL5Z (2'6")**

6'8"



BREFL7P/Z

6'8"



**CASFL7P
CASFL5P (2'6")**

6'8"



CHRHL7P/Z

6'8"



**ELZFL7P
ELZFL5P (2'6")**

6'8"



**KENFL7P
KENFL5P (2'6")**

6'8"



OXFFL7

6'8"



**RIVFL7
RIVFL5 (2'6")**

6'8"



**SOLFL7P
SOLFL5P (2'6")**

6'8"



SPRFL7P

6'8"



**TABFL7P
TABFL5P (2'6")**

6'8"



**MBC/MBLFL7
MBC/MBLFL5 (2'6")**

6'8"




CHIHL2

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2P/Z

6'8"



CASHL2P

6'8"



CHRHL2P/Z

6'8"



ELZHL2P

FOUR PANEL BLANK TOP DOOR

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



RIVHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



MBC/MBLHL2

6'8"



CAMFL1

6'8"



PCLFL1

6'8"



CHIFL1

6'8"



ABRFL1Z

6'8"



ARTFL1P

6'8"



ARZFL1Z

6'8"



BREFL1P/Z

6'8"



CASFL1

6'8"



CHRFL1P/Z

6'8"



ELZFL1P

6'8"



KENFL1P

6'8"



OXFFL1

6'8"



RIVFL1

6'8"



SOLFL1P

6'8"



SPRFL1P

6'8"



TABFL1P

6'8"



MBC/MBLFL1

MAHOGANY TRUE FOUR PLANK DOOR


6'8"




3'6"

DRM41

MAHOGANY SIX PANEL DOOR



GLASS OPTIONS





Mahogany Door • DRM60 • Glass ARTTL1P

FIR GRAIN



Fir Grain Door DRF3C • Glass B06 • Accessory ACSD23006



Our Fir Series captures the minute details of fine vertical graining for an overall traditional Craftsman appeal, with the graining characteristic of the Douglas Fir, it emphasizes the architecturally correct proportions of our fiberglass entry doors.

ALL FIR GRAIN DOORS ARE SHOWN PRE-FINISHED

DOOR OVERVIEW



● COMING SOON - PLEASE CALL REGARDING AVAILABILITY

● IN STOCK

● EXTENDED LEAD TIME



FIR CRAFTSMAN DOOR

DIRECT GLAZED

DRF3C & DRF3C80 & MATCHING SIDELITES ARE ONLY AVAILABLE WITH GLASS



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME ● EXTENDED LEAD TIME ON GLASS

8'0"



SOLP

8'0"



SPRP

6'8"



G000

8'0"



G000

8'0"



B01P

8'0"



B02P

8'0"



ARTP

8'0"



ARZZ

8'0"



KENP

8'0"



SOLP

8'0"



SPRP

FIR GRAIN SHAKER CRAFTSMAN DOOR

4 PANEL SQUARE TOP



FIR GRAIN 5 PANEL SHAKER DOOR



FIR GRAIN ACCESSORIES



3 Lite



6'8" ACSDF/23001
8'0" ACSDF/23005

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) are an energy efficient alternative to true divided lights that prevent unwanted heat or cold from entering your home. They can be used on the interior or exterior of the door to create a personalized look.

6 Lite



6'8" ACSDF/23002
8'0" ACSDF/23006

Sidelite



ACSDF/23004

FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling off the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.

4 Block Dentil Shelf



ACDSFT2704

DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products. They are available in Oak, Smooth, and Fir grain finishes.

FEATURES & BENEFITS

- Recreate Classic Designs
- Create Custom Looks
- Affordable

















































OAK GRAIN



Dressed in a rich oak grain texture, our Oak Doors give you the classic wood appearance without the downfalls of having a wood door. Our Oak Doors resemble the look, feel and texture of real wood without any of the problems associated with wood. Maintain the original look and feel of our home, but with all the benefits of fiberglass. Made with our exclusive HydroShield Technology™ our doors will never rot, warp or crack like wood.

ALL OAK GRAIN DOORS ARE SHOWN PRE-FINISHED

DOOR OVERVIEW


<p>6'8"</p>  <p>2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p>	<p>7'0"</p>  <p>2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p>	<p>8'0"</p>  <p>2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p>	<p>6'8"</p>  <p>3'0"</p>	<p>8'0"</p>  <p>6'8"</p> <p>2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>3'0"</p>
<p>DRG00</p> 	<p>DRG0070</p> 	<p>DRG0080</p> 	<p>DRG20</p> 	<p>DRG29 DRG2980</p> 	<p>DRG3E</p> 
<p>6'8"</p>  <p>3'0"</p>	<p>8'0"</p>  <p>2'8" • 3'0" • 3'6"</p>	<p>6'8" 7'0"</p>  <p>3'0" (3'0" in 7'0" extended lead time)</p>	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>2'6" • 2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>2'6" • 2'8" • 2'10" • 3'0"</p>
<p>DRG3P</p> 	<p>DRG3080</p> 	<p>DRG31 DRG3170</p> 	<p>DRG4B</p> 	<p>DRG40</p> 	<p>DRG41</p> 
<p>7'0"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>8'0"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>3'0"</p>	<p>8'0"</p>  <p>2'6" • 3'0" (2'8" & 3'6" avail in 8'0" only)</p>
<p>DRG4170</p> 	<p>DRG4180</p> 	<p>DRG49</p> 	<p>DRG6B</p> 	<p>DRG6C</p> 	<p>DRG60 DRG6080</p> 
<p>6'8" 7'0"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>8'0"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>8'0"</p>  <p>6'8"</p> <p>3'0" • (3'6" available only in 8' Door)</p>	<p>6'8"</p>  <p>2'8" • 3'0"</p>	<p>8'0"</p>  <p>3'0"</p>
<p>DRG61 DRG6170</p> 	<p>DRG6180</p> 	<p>DRG63</p> 	<p>DRG80 DRG8080</p> 	<p>DRG90</p> 	<p>DRG9180</p> 

 HVHZ IMPACT NOT AVAILABLE IN 3'6"


 IN STOCK

 EXTENDED LEAD TIME

OAK GRAIN FLUSH PANEL DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

OAK GRAIN FLUSH PANEL DOOR

6'8"



SPRFL7P
SPRFL5P (2'6")

6'8"



TABFL7P
TABFL5P (2'6")

6'8"




MBC/MBLFL7
MBC/MBLFL5 (2'6")

7'0"



CAMFL7
CAMFL5 (2'6")

7'0"



PCLFL7
PCLFL5 (2'6")

7'0"



CHIFL7
CHIFL5 (2'6")

7'0"



ABRFL7Z
ABRFL5Z (2'6")

7'0"



ARTFL7P
ARTFL5P (2'6")

7'0"



ARZFL7Z
ARZFL5Z (2'6")

7'0"



BREFL7P/Z
BREFL5P/Z (2'6")

7'0"



CASFL7P
CASFL5P (2'6")

7'0"



CHRFL7P/Z

7'0"



ELZFL7P
ELZFL5P (2'6")

7'0"



KENFL7P
KENFL5P (2'6")

7'0"




OXFFL7

7'0"




RIVFL7
RIVFL5 (2'6")

7'0"



SOLFL7
SOLFL5 (2'6")

7'0"



SPRFL7
SPRFL5 (2'6")

7'0"



TABFL7P
TABFL5P (2'6")

7'0"



MBC/MBLFL7
MBC/MBLFL5 (2'6")

8'0"




CAMFL8
CAMFL6 (2'6")

8'0"



PCLFL8
PCLFL6 (2'6")

8'0"



CHIFL8
CHIFL6 (2'6")

8'0"



ABRFL8Z
ABRFL6Z (2'6")

8'0"



ARTFL8P

8'0"



ARZFL8Z

8'0"



BREFL8P/Z

8'0"



CASFL8P

OAK GRAIN FLUSH PANEL DOOR

8'0"



ELZFL8P
ELZFL6P (2'6")

8'0"



KENFL8P

8'0"



OXFFL8

8'0"



SOLFL8P

8'0"



TABFL8P

8'0"



MBC/MBLFL8
MBC/MBLFL6 (2'6")

8'0"



CAMFL1 & FL2

8'0"



PCLFL1 & FL2

8'0"



CHIFL1 & FL2

8'0"



ABRFL1Z & FL2Z

8'0"



ARTFL1P & FL2P

8'0"



ARZFL1Z & FL2Z

8'0"



BRFL1P/Z & FL2P/Z

8'0"




CASFL1P & FL2P

8'0"



ELZFLP1 & FL2P

8'0"



KENFLP1 & FL2P

8'0"



OXFFL1 & FL2

8'0"



RIVFL1

8'0"



SOLFL1P & FL2P

8'0"



SPRFL1P & FL2P

8'0"



TABFL1P & FL2P

8'0"



MBC/MBLFLP & FL2



OAK GRAIN 3/4 HERITAGE DOOR

6'8"



DRG20



SLG3E

GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"



CHR3V2P/Z

6'8"



TAB3V2P

6'8"



CAS343P

6'8"



BRE341P/Z

6'8"



CAS341P

6'8"



CHR341P/Z

6'8"



TAB341P

3/4 TWO PANEL DOOR

DESCRIPTION

8'0"




CAMFL7

8'0"



PCLFL7

8'0"



CHIFL7

8'0"



ABRFL7Z

8'0"



ARTFL7P

8'0"



ARZFL7Z

8'0"



BREFL7P/Z

8'0"



CASFL7P

8'0"



CHRFL7P/Z

8'0"



ELZFL7P

8'0"



KENFL7P

8'0"




OXFFL7

8'0"




RIVFL7

8'0"



SOLFL7P

8'0"



SPRFL7P

8'0"



TABFL7P

8'0"



MBC/MBLFL7

8'0"



CAMFL1

8'0"



PCLFL1

8'0"



CHIFL1

8'0"




ABRFL12

8'0"



ART341P & FL1P

8'0"



ARZ341Z & FL1Z

8'0"



BRE341P/Z & FL1P/Z

3/4 TWO PANEL DOOR



CAS341 & FL1P



CHR341P/Z & FL1P/Z



ELZ341P & FL1P



KEN341 & FL1



OXF341 & FL1



RIVFL1



SOL341P & FL1P



SPR341P & FL1P



TAB341P & FL1P




MBC/MBLFL1



OAK GRAIN 3/4 ELITE DOOR

6'8"



3'0"

1'0" • 1'2"

DRG3E

SLG3E

GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"




CHR3V2P/Z

6'8"



TAB3V2P

6'8"



CAS343P

6'8"



BREFL1P/Z

6'8"



CAS341P

6'8"



CHR341P/Z

6'8"



TAB341P

OAK GRAIN 3/4 PREMIUM DOOR

6'8"



DRG3P



SLG3P

10" • 12"

30"

GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"



CHR3V2P/Z

6'8"



TAB3V2P

6'8"



BRE3V1P/Z

6'8"



CAS3V1P

6'8"



CHR3V1P/Z

OAK GRAIN 3/4 PANEL DOOR

8'0"



DRG3080

SLG3080

2'8" • 3'0" • 3'6"

1'0" • 1'2"

GLASS OPTIONS

8'0"



BRE3V3P/Z

8'0"



CAS3V3P

8'0"



CAMFL7

8'0"



PCLFL7

8'0"



CHIFL7

8'0"



ABRFL7Z

8'0"



ARTFL7P

8'0"



ARZFL7Z

8'0"



BREFL7P/Z

8'0"



CASFL7P

8'0"



CHRFL7P/Z

8'0"



ELZFL7P

8'0"



KENFL7P

8'0"



OXFFL7

3/4 THREE PANEL DOOR

8'0"




RIVFL7

8'0"



SOLFL7P

8'0"



SPRFL7P

8'0"



TABFL7P

8'0"



MBC/MBFL7

8'0"



CAMFL1

8'0"



PCLFL1

8'0"



CHILFL1

8'0"



ABRFL1Z

8'0"




ARTFL1P

8'0"



ARZFL1Z

8'0"



BREFL1P/Z

8'0"



CASFL1P

8'0"



CHRFL1P/Z

8'0"



ELZFL1P

8'0"



KENFL1P

8'0"



OXFL1

8'0"



RIVFL1

8'0"



SOLFL1P

8'0"



SPRFL1P

8'0"



TABFL1P

8'0"



MBC/MBFL1

OAK GRAIN THREE PANEL DOOR

6'8"



3'0"

DRG31

7'0"



3'0"

DRG3170

OAK GRAIN FOUR PANEL BLANK TOP DOOR



GLASS OPTIONS



CASHR1P



CHRR1P/Z



TABHR1P



CHIHL4



ARTHL4P



ARZHL4Z



BREHL4P/Z



CASHL4P



CHRH4P/Z



ELZHL4P



KENHL4P



OXFHL4



RIVHL4



SOLHL4P

● IN STOCK

● EXTENDED LEAD TIME

FOUR PANEL BLANK TOP DOOR

6'8"



SPRHL4P

6'8"



TABHL4P

6'8"



MBC/MBLHL4

6'8"



CHIHL2

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"




BREHL2P/Z

6'8"




CASHL2P

6'8"



CHRHL2P/Z

6'8"



ELZHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



RIVHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1P

6'8"



MBC/MBLHL2



Oak Grain Door • DRG6080

OAK GRAIN TRUE FOUR PANEL DOOR



GLASS OPTIONS



TRUE FOUR PANEL DOOR

7'0"



CHIHL4

7'0"



ARTHL4P

7'0"



ARZHL4Z

7'0"



BREHL4P/Z

7'0"



CASHL4P

7'0"



CHRHL4P

7'0"



ELZHL4P

7'0"



KENHL4P

7'0"



OXFHL4

7'0"



RIVHL4

7'0"



SOLHL4P

7'0"



SPRHL4P

7'0"



TABHL4P

7'0"



MBC/MBLHL4

8'0"



CAM342

8'0"



PCL342

8'0"



CHI342

8'0"



ART342P

8'0"



ARZ342Z

8'0"



BRE342P/Z

8'0"



CAS342P

8'0"



CHR342P

8'0"



ELZ342P

8'0"



KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

TRUE FOUR PANEL DOOR



CHIHL2 ARTH2P & 341P ARZHL2Z & 341Z BREHL2P/Z & 341P/Z CASHL2P & 341P CHRH2P/Z & 341P/Z ELZHL2P & 341P



KENHL2P & 341P OXFHL2 & 341 RIVHL2 SOLHL2P & 341P SPRHL2P & 341P TABFL1P & 341P MBC/MCLHL2

OAK GRAIN 3/4 FOUR PANEL DOOR

6'8"



2'8" • 2'10" • 3'0"

1'0" • 1'2"

DRG49

SLG49

GLASS OPTIONS

6'8"



CAM342

6'8"



PCL342

6'8"



CHI342

6'8"



ART342P

6'8"



ARZ342Z

6'8"



BRE342P/Z

6'8"



CAS342P

6'8"



CHR342P/Z

6'8"



ELZ342P

6'8"



KEN342P

6'8"



OXF342

6'8"



SOL342P

6'8"



SPR342P

6'8"



TAB342P

● IN STOCK

● EXTENDED LEAD TIME

6'8"



ART341P

6'8"



ARZ341Z

6'8"



BRE341P/Z

6'8"



CAS341P

6'8"



CHR341P/Z

6'8"



ELZ341P

6'8"



KEN341P

6'8"



OXF341

6'8"



SPR341P

6'8"



SOL341P

6'8"



TAB341P

OAK GRAIN SIX PANEL CRAFTSMAN DOOR

6'8"



3'0"

DRG6C



OAK GRAIN ACCESSORIES AVAILABLE ON PAGE 107.

GLASS OPTIONS

6'8"



ARTTL3P

6'8"



ARZTL3Z

6'8"



BRETL3P/Z

6'8"



ELZTL3P

6'8"



OXFTL3

6'8"



RIVTL3

6'8"



SOLTL3P

6'8"



SPRTL3P

● IN STOCK

● EXTENDED LEAD TIME

OAK GRAIN SIX PANEL DOOR




GLASS OPTIONS



OAK GRAIN SIX PANEL UTILITY DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

SIX PANEL UTILITY DOOR

7'0"



CHIHL4

7'0"



ARTHL4P

7'0"



ARZHL4Z

7'0"



BREHL4P/Z

7'0"



KENHL4P

7'0"



OXFHL4

7'0"



RIVHL4

7'0"



SOLHL4P

7'0"



SPRHL4P

7'0"



TABHL4P

7'0"



MBC/MBLHL4

8'0"



CHI342

8'0"



ART342P

8'0"



ARZ342Z

8'0"



SOL342P/Z

8'0"



CAS342P

8'0"



CHR342P/Z

8'0"



ELZ342P

8'0"



KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

SIX PANEL UTILITY DOOR

6'8" 7'0"



CHIHL2

6'8" 7'0"



ARTHL2P

6'8" 7'0"



ARZHL2Z

6'8" 7'0"



BREHL2P/Z

6'8" 7'0"



CASHL2P

6'8" 7'0"



CHRHL2P/Z

6'8" 7'0"



ELZHL2P

6'8" 7'0"



KENHL2P

6'8" 7'0"



OXFHL2

6'8" 7'0"



RIVHL2

6'8" 7'0"



SOLHL2P

6'8" 7'0"



SPRHL2P

6'8" 7'0"



TABFL1P

6'8" 7'0"



MBC/MBLHL2P

OAK GRAIN TRUE SIX PANEL NARROW DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

TRUE SIX PANEL NARROW DOOR

6'8"



CHIHL2P

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2ZP/Z

6'8"




CASHL2P

6'8"



CHRL2ZP/Z

6'8"



ELZHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



RIVHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1

6'8"




MBC/MBLHL2

OAK GRAIN EIGHT PANEL DOOR



GLASS OPTIONS



OAK GRAIN NINE PANEL DOOR

6'8"



2'8" • 3'0"

DRG90

6'8"



BRE9P1P/Z

6'8"



SPR9P1P

GLASS OPTIONS

● IN STOCK

● EXTENDED LEAD TIME



Oak Grain Door • DRG80 • Glass ART8C2P

OAK GRAIN NINE PANEL DOOR

8'0"



3'0"

DRG9180

GLASS OPTIONS

8'0"



ART341P

8'0"



ARZ341Z

8'0"



BRE341P/Z

8'0"



CAS341P

8'0"



CHR341P/Z

8'0"



ELZ341P

8'0"



KEN341P

8'0"



OXF341

8'0"



SOL341P

8'0"



SPR341P

8'0"



TAB341P

OAK GRAIN ACCESSORIES



4 Block Dentil Shelf



ACDSGT2704

16 Block Dentil Shelf



ACDSGT2716

DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products. They are available in Oak, Smooth, and Fir grain finishes.

FEATURES & BENEFITS

- Recreate Classic Designs
- Create Custom Looks
- Affordable

6'8"



DRG6C
ARTTL3P
ACDSGT2704

6'8"



DRG6C
BRETLL3Z
ACDSGT2716

6'8"



DRG6C
ELZTL3P
ACDSGT2704

6'8"



DRG6C
SOLTLL3P
ACDSGT2716

6'8"



DRG6C
SPRTLL3P
ACDSGT2704



















































SMOOTH



Plastpro Smooth Doors are a long lasting alternative to steel doors that provide all the benefit of fiberglass. Made with our exclusive HydroShield Technology™ our doors will never dent, rust, or delaminate like steel. Made with a pre-pigmented white skin, our doors resist the appearance of scratches.

DOOR OVERVIEW

<p>6'8"</p>  <p>2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p>	<p>7'0"</p>  <p>2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p>	<p>8'0"</p>  <p>2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"</p>	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>8'0"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p>
<p>DRS500</p> 	<p>DRS0070</p> 	<p>DRS0080</p> 	<p>DRS2B</p> 	<p>DRS2B80</p> 	<p>DRS2D</p> 
<p>8'0"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>8'0"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>3'0"</p>	<p>8'0"</p>  <p>6'8" 2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>3'0"</p>
<p>DRS2D80</p> 	<p>DRS2G</p> 	<p>DRS2G80</p> 	<p>DRS20</p> 	<p>DRS29 DRG2980</p> 	<p>DRS3C</p> 
<p>8'0"</p>  <p>3'0"</p>	<p>6'8"</p>  <p>3'0"</p>	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>8'0"</p>  <p>3'0" • 3'6"</p>	<p>6'8"</p>  <p>3'0"</p>	<p>8'0"</p>  <p>2'8" • 3'0" • 3'6"</p>
<p>DRS3C80</p> 	<p>DRS3E</p> 	<p>DRS3F</p> 	<p>DRS3F80</p> 	<p>DRS3P</p> 	<p>DRS3080</p> 
<p>6'8" 7'0"</p>  <p>3'0"</p>	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>6'8"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>7'0"</p>  <p>2'8" • 2'10" • 3'0"</p>	<p>8'0"</p>  <p>2'8" • 2'10" • 3'0"</p>
<p>DRS31 DRS3170</p> 	<p>DRS4B</p> 	<p>DRS40</p> 	<p>DRS41</p> 	<p>DRS4170</p> 	<p>DRS4180</p> 

 HVHZ IMPACT NOT AVAILABLE IN 3'6"
  COMING SOON
  MODELS ONLY AVAILABLE WITH GLASS.
  IN STOCK
  EXTENDED LEAD TIME

DOOR OVERVIEW

6'8"



2'6"

DRS42



6'8"



2'8" • 2'10" • 3'0"

DRS49



6'8"



2'8" • 2'10" • 3'0"

DRS50



6'8"



2'8" • 2'10" • 3'0"

DRS6B



6'8"



3'0"

DRS6C

6'8"



2'8" • 3'0"

DRS60



8'0"



2'6" • 2'8" • 3'0"

DRS6080



6'8"



2'8" • 2'10" • 3'0"

DRS61



7'0"



2'8" • 2'10" • 3'0"

DRS6170



8'0"



2'8" • 2'10" • 3'0"

DRS6180



6'8"



2'8" • 2'10" • 3'0"

DRS63



8'0"



3'0" • (3'6" available only in 8' Door)

DRS80



DRS8080



6'8"



2'8" • 3'0"

DRS90






Smooth Door • DRS3C B0P6

1156

SMOOTH FLUSH PANEL DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

SMOOTH FLUSH PANEL DOOR

6'8"



SPRFL7
SPRFL5 (2'6")

6'8"



TABFL7P
TABFL5P (2'6")

6'8"



MBC/MBLFL7
MBC/MBLFL5 (2'6")

7'0"




CAMFL7
CAMFL5 (2'6")

7'0"



PCLFL7
PCLFL5 (2'6")

7'0"



CHIFL7
CHIFL5 (2'6")

7'0"



ABRFL7Z
ABRFL5Z (2'6")

7'0"



ARTFL7P
ARTFL5P (2'6")

7'0"



ARZFL7Z
ARZFL5Z (2'6")

7'0"



BREFL7P/Z
BREFL5P/Z (2'6")

7'0"



CASFL7P
CASFL5P (2'6")

7'0"




CHRFL7P/Z

7'0"



ELZFL7P
ELZFL5P (2'6")

7'0"



KENFL7P
KENFL5P (2'6")

7'0"




OXFFL7

7'0"




RIVFL7
RIVFL5 (2'6")

7'0"



SOLFL7
SOLFL5 (2'6")

7'0"



SPRFL7
SPRFL5 (2'6")

7'0"



TABFL7P
TABFL5P (2'6")

7'0"



MBC/MBLFL7
MBC/MBLFL5 (2'6")

8'0"




CAMFL8
CAMFL6 (2'6")

8'0"



PCLFL8
PCLFL6 (2'6")

8'0"



CHIFL8
CHIFL6 (2'6")

8'0"



ABRFL8Z
ABRFL6Z (2'6")

8'0"



ARTFL8P

8'0"



ARZFL8Z

8'0"



BREFL8P/Z

8'0"



CASFL8P

SMOOTH FLUSH PANEL DOOR

8'0"



ELZFL8P
ELZFL6P (2'6")

8'0"




KENFL8P

8'0"



OXFFL8

8'0"



SOLFL8P

8'0"



TABFL8P

8'0"



MBC/MBFL8
MBC/MBFL6 (2'6")

8'0"




CAMFL1 & FL2

8'0"



PCLFL1 & FL2

8'0"




CHIFL1 & FL2

8'0"



ABRFL1Z & FL2Z

8'0"



ARTFL1P & FL2P

8'0"



ARZFL1Z & FL2Z

8'0"




BREFL1P/Z & FL2P/Z

8'0"



CASFL1P & FL2P

8'0"



ELZFLP1 & FL2P

8'0"



KENFLP1 & FL2P

8'0"



OXFFL1 & FL2

8'0"



RIVFL1

8'0"



SOLFL1P & FL2P

8'0"




SPRFL1P

8'0"



MBC/MBFL1 & FL2

8'0"




TABFL1P & FL2P

SMOOTH TWO PANEL DOOR



GLASS OPTIONS



SMOOTH TWO PANEL DOOR

8'0"




CAM342

8'0"



PCL342

8'0"



CHI342

8'0"



ART342P

8'0"




ARZ342Z

8'0"



BRE342P/Z

8'0"



CAS342P

8'0"



CHR342P/Z

8'0"



ELZ342P

8'0"



KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

8'0"



CHIHL2 & FL1
CHIFL2

8'0"



ARTHL2P & FL1P
ART341P & FL2P

8'0"



ARZHL2Z & FL1Z
ARZ341Z & FL2Z

8'0"



BREHL2P/Z & FL1P/Z
ARZ341P/Z & FL2P/Z

8'0"



CASHL2P & FL1P
CAS341P & FL2P

8'0"



CHRHL2P/Z & FL1P/Z
CHR341P/Z

8'0"



ELZHL2P & FL1P
ELZ341P & FL2P

8'0"



KENHL2P & FL1P
KEN341P & FL2P

8'0"



OXFHL2 & FL1
OXF341 & FL2

8'0"



RIVHL2 & FL1

8'0"



SOLHL2P & FL1P
SOL341P & FL2P

8'0"



SPRHL2P & FL1P
SPR341P & FL2P

8'0"



TABFL1P
TAB341P & FL2P

8'0"



MBC/MBLHL2 & FL1
MBC/MBLFL2



Smooth Door • DRS4170

SMOOTH TWO PANEL DOOR

SQUARE PANEL & ARCH TOP



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

8'0"




CAM342

8'0"



PCL342

8'0"



CHI342

8'0"



ART342P

8'0"




ARZ342Z

8'0"




BRE342P/Z

8'0"



CAS342P

8'0"



CHR342P/Z

8'0"



ELZ342P

8'0"



KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

8'0"



CHIHL2 & FL1
CHIFL2

8'0"



ARTHL2P & FL1P
ART341P

8'0"




ARZHL2Z & FL1Z
ARZ341Z

8'0"



BREHL2P/Z & FL1P/Z
BRE341P/Z

8'0"



CASHL2P & FL1P
CAS341P

8'0"



CHRHL2P/Z & FL1P/Z
CHR341P/Z

8'0"



ELZHL2P & FL1P
ELZ341P

8'0"



KENHL2P & FL1P
KEN341P

8'0"



OXFHL2 & FL1
OXF341

8'0"



SOLHL2P & FL1P
SOL341P

8'0"



SPRHL2P & FL1P
SPR341P

8'0"



TABFL1P
TAB341

6'8" 6'8"



MBC/MBLHL2 & FL1

SMOOTH COTTAGE TWO PANEL DOOR

SQUARE PANEL & ARCH TOP



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

SMOOTH COTTAGE TWO PANEL DOOR

8'0"




CAM342

8'0"



PCL342

8'0"



CHI342

8'0"



ART342P

8'0"



ARZ342Z

8'0"



BRE342P/Z

8'0"



CAS342P

8'0"



CHR342P/Z

8'0"



ELZ342P

8'0"



KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

8'0"



**CHIHL2 & FL1
CHIFL2**

8'0"



**ARTHL2P & FL1P
ART341P**

8'0"




**ARZHL2Z & FL1Z
ARZ341Z**

8'0"




**BREHL2P/Z & FL1P/Z
BRE341P/Z**

8'0"



**CASHL2P & FL1P
CAS341P**

8'0"



**CHRHL2P/Z & FL1P/Z
CHR341P/Z**

8'0"



**ELZHL2P & FL1P
ELZ341P**

8'0"



**KENHL2P & FL1P
KEN341P**

8'0"



**OXFHL2 & FL1
OXF341**

8'0"



**SOLHL2P & FL1P
SOL341P**

8'0"



**SPRHL2P & FL1P
SPR341P**

8'0"



**TABFL1P
TAB341P**

8'0"



**MBC/MBLHL2 & FL1
MBC/MBLFL2**

SMOOTH 3/4 HERITAGE DOOR

6'8"



3'0"

DR520

SLS3E

1'0" • 12"

GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"



CHR3V2P/Z

6'8"



TAB3V2P

6'8"



CAS343P

6'8"



BRE341P/Z

6'8"



CAS341P

6'8"



CHR341P/Z

6'8"




TAB341P

SMOOTH 3/4 TWO PANEL DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

3/4 TWO PANEL DOOR

8'0"




CAMFL7

8'0"



PCLFL7

8'0"



CHIFL7

8'0"



ABRFL7Z

8'0"



ARTFL7P

8'0"



ARZFL7Z

8'0"



BREFL7P/Z

8'0"



CASFL7P

8'0"



CHRFL7P/Z

8'0"



ELZFL7P

8'0"



KENFL7P

8'0"




OXFFL7

8'0"



RIVFL7

8'0"



SOLFL7P

8'0"



SPRFL7P

8'0"




TABFL7P

8'0"



MBC/MBLFL7

8'0"




CAMFL1

8'0"



PCLFL1

8'0"



CHIFL1

8'0"



ABRFL1Z

8'0"



ARTFL1P

8'0"



ARZFL1Z

8'0"



BREFL1P/Z

3/4 TWO PANEL DOOR

8'0"



CASFL1P

8'0"



CHRFL1P/Z

8'0"



ELZFL1P

8'0"



KENFL1

8'0"



OXFFL1

8'0"



RIVFL1

8'0"



SOLFL1P

8'0"



SPRFL1P

8'0"



TABFL1P

8'0"



MBC/MBLFL1



Smooth Door • DRS2980 • Glass SOLFL7P

SMOOTH DIRECT GLAZE CRAFTSMAN

DR53C & DR53C80 & MATCHING SIDELITES ARE ONLY AVAILABLE WITH GLASS



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME ● EXTENDED LEAD TIME ON GLASS

SMOOTH 3/4 ELITE DOOR

6'8"



3'0"

DR53E

SL53E

10" • 12"

GLASS OPTIONS

6'8"



BRE3V2P/Z

6'8"



CAS3V2P

6'8"



CHR3V2P/Z

6'8"



TAB3V2P

6'8"



CAS343P

6'8"



BREFL1P/Z

6'8"



CAS341P

6'8"



CHR341P/Z

6'8"




TAB341P

● IN STOCK

● EXTENDED LEAD TIME

SMOOTH THREE PANEL CRAFTSMAN

SHAKER PROFILE



SMOOTH ACCESSORIES AVAILABLE ON PAGE 150 & 151.

GLASS OPTIONS



SMOOTH 3/4 PREMIUM DOOR

6'8"



3'0"

DR53P

SLS3P

1'0" • 1'2"

GLASS OPTIONS

6'8"




BRE3V2P/Z

6'8"



CAS3V2P

6'8"



CHR3V2P/Z

6'8"



TAB3V2P

6'8"



BRE3V1P/Z

6'8"



CAS3V1P

6'8"



CHR3V1P/Z

6'8"



TABFL1P

SMOOTH 3/4 PANEL DOOR

8'0"



2'8" • 3'0" • 3'6"

1'0" • 1'2"

DR53080

SLS3080

GLASS OPTIONS

8'0"



BRE3V3P/Z

8'0"



CAS3V3P

8'0"




CAMFL7

8'0"



PCLFL7

8'0"



CHIFL7

8'0"



ABRFL7Z

8'0"



ARTFL7P

8'0"



ARZFL7Z

8'0"



BREFL7P/Z

8'0"



CASFL7P

8'0"



CHRFL7P/Z

8'0"



ELZFL7P

8'0"



KENFL7P

8'0"



OXFFL7

3/4 THREE PANEL DOOR

8'0"



RIVFL7

8'0"



SOLFL7P

8'0"



SPRFL7P

8'0"



TABFL7P

8'0"



MBC/MBLFL7

8'0"



CAMFL

8'0"



PCLFL1

8'0"



CHILFL1

8'0"



ABRFL1Z

8'0"



ARTFL1P

8'0"



ARZFL1Z

8'0"



BRFL1P/Z

8'0"



CASFL1P

8'0"



CHRFL1P/Z

8'0"



ELZFL1P

8'0"



KENFL1P

8'0"



OXFFL1

8'0"



RIVFL1

8'0"



SOLFL1P

8'0"



SPRFL1P

8'0"



TABFL1P

8'0"



MBC/MBLFL1

SMOOTH THREE PANEL DOOR

6'8"



DR531

7'0"



DR53170

SMOOTH FOUR PANEL BLANK TOP DOOR



GLASS OPTIONS



CASHR1P



CHRR1P/Z



TABHR1P



CHIHL4
CHIHL3 (2'6")



ARTHL4P
ARTHL3P (2'6")



ARZHL4Z
ARZHL3Z (2'6")



BREHL4P/Z




CASHL4P
CASHL3P (2'6")



CHRH4P/Z



ELZHL4P
ELZHL3P (2'6")



KENHL4P
KENHL3P (2'6")



OXFHL4



RIVHL4



SOLHL4P
SOLHL3P (2'6")

● IN STOCK

● EXTENDED LEAD TIME

FOUR PANEL BLANK TOP DOOR

6'8"



SPRHL4P

6'8"



TABHL4P
TABHL3P (2'6")

6'8"



MBC/MBLHL4

6'8"



CHIHL2

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2P/Z

6'8"



CASHL2P

6'8"



CHRHL2P/Z

6'8"



ELZHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



RIVHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1P

6'8"



MBC/MBLHL2

SMOOTH TRUE FOUR PANEL DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

TRUE FOUR PANEL DOOR

7'0"



CHIHL4

7'0"



ARTHL4P

7'0"



ARZHL4Z

7'0"



BREHL4P/Z

7'0"



CASHL4P

7'0"



CHRHL4P

7'0"



ELZHL4P

7'0"



KENHL4P

7'0"



OXFHL4

7'0"



RIVHL4

7'0"



SOLHL4P

7'0"



SPRHL4P

7'0"



TABHL4P

7'0"



MBC/MBLHL4

8'0"




CAM342

8'0"



PCL342

8'0"



CHI342

8'0"



ART342P

8'0"



ARZ342Z

8'0"



BRE342P/Z

8'0"



CAS342P

8'0"




CHR342P/Z

8'0"



ELZ342P

8'0"



KEN342P

8'0"



OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

TRUE FOUR PANEL DOOR



SMOOTH 3/4 FOUR PANEL DOOR

6'8"



DRS49

SLS49

GLASS OPTIONS

6'8"



CAM342

6'8"



PCL342

6'8"



CHI342

6'8"



ART342P

6'8"



ARZ342Z

6'8"



BRE342P/Z

6'8"



CAS342P

6'8"



CHR342P/Z

6'8"



ELZ342P

6'8"



KEN342P

6'8"



OXF342

6'8"



SOL342P

6'8"



SPR342P

6'8"



TAB342P

3/4 FOUR PANEL DOOR

6'8"



ART341P

6'8"



ARZ341Z

6'8"



BRE341P/Z

6'8"



CAS341P

6'8"




CHR341P/Z

6'8"



ELZ341P

6'8"



KEN341P

6'8"



OXF341

6'8"



SPR341P

6'8"



SOL341P

6'8"



TAB341P

SMOOTH FIVE PANEL DOOR

SHAKER PROFILE

6'8"



DR550

● IN STOCK

● EXTENDED LEAD TIME

Smooth Door • DR550



SMOOTH SIX PANEL CRAFTSMAN DOOR

6'8"



3'0"

DR56C



SMOOTH ACCESSORIES AVAILABLE ON PAGE 151.

GLASS OPTIONS

6'8"



ARTTL3P

6'8"



ARZTL3Z

6'8"



BRETL3P/Z

6'8"



ELZTL3P

6'8"



OXFTL3

6'8"



RIVTL3

6'8"



SOLTL3P

6'8"



SPRTL3P


● IN STOCK

● EXTENDED LEAD TIME

SMOOTH SIX PANEL DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

SMOOTH SIX PANEL UTILITY DOOR



DRS61
DRS6B (No matching sidelite)

SLS61

DRS6170

SLS6170

DRS6180

GLASS OPTIONS



CHIHL4

ARTHL4P

ARZHL4Z

BREHL4P/Z

CASHL4P

CHRHL4P/Z

ELZHL4P

KENHL4P

OXFHL4

RIVHL4

SOLHL4P

SPRHL4P

TABHL4P

MBC/MBLHL4

● IN STOCK ● EXTENDED LEAD TIME



SIX PANEL UTILITY DOOR

7'0"



CHIHL4

7'0"



ARTHL4P

7'0"



ARZHL4Z

7'0"



BREHL4P/Z

7'0"



CASHL4P

7'0"



CHRHL4P/Z

7'0"



ELZHL4P

7'0"



KENHL4P

7'0"



OXFHL4

7'0"



RIVHL4

7'0"



SOLHL4P

7'0"



SPRHL4P

7'0"




TABHL4P

7'0"



MBC/MBLHL4

8'0"



CHI342

8'0"




ART342P

8'0"



ARZ342Z

8'0"




BRE342P/Z

8'0"



CAS342P

8'0"




CHR342P/Z

8'0"



ELZ342P

8'0"



KEN342P

8'0"




OXF342

8'0"



SOL342P

8'0"



SPR342P

8'0"



TAB342P

SIX PANEL UTILITY DOOR



CHIHL2



ARTHL2P



ARZHL2Z



BREHL2P/Z



CASHL2P



CHRHL2P/Z



ELZHL2P



KENHL2P



OXFHL2




RIVHL2



SOLHL2P



SPRHL2P



TABFL1P



MBC/MBLHL2

SMOOTH TRUE SIX PANEL NARROW DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

TRUE SIX PANEL NARROW DOOR

6'8"



CHIHL2P

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2ZP/Z

6'8"



CASHL2ZP

6'8"




CHRL2ZP/Z

6'8"



ELZHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



RIVHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1

6'8"



MBC/MBLHL2


Smooth Door • DRS42 • Glass KENHL4P



SMOOTH EIGHT PANEL DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

SMOOTH NINE PANEL DOOR

6'8"



2'8" • 3'0"

DR590

6'8"



BRE9P1P/Z

6'8"



SPR9P1P

● IN STOCK

● EXTENDED LEAD TIME



Smooth Door • DR52G80 • Glass SPR342P



SMOOTH ACCESSORIES

3 Lite



6'8" ACSDW/23005
8'0" ACSDW/23001

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro Simulated Divided Lights (SDL Bars) are an energy efficient alternative to true divided lights that prevent unwanted heat or cold from entering your home. They can be used on the interior or exterior of the door to create a personalized look.

6 Lite



6'8" ACSDW/23006
8'0" ACSDW/23002

Sidelite



ACSDW/23004

FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling off the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.



ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS / DEALERS



Smooth Door • DRS6C • Glass SPRTL3

4 Block Dentil Shelf (DRS3F)



ACDSSW2404

4 Block Dentil Shelf



ACDSSW2704

16 Block Dentil Shelf



ACDSSW2716


DENTIL SHELF

Plastpro Dentil Shelves are made of lightweight High Density Polyurethane (HDP) and will not warp, rot, or crack. HDP is an excellent alternative to traditional wood products. They are available in Oak, Smooth, and Fir grain finishes.

FEATURES & BENEFITS

- Recreate Classic Designs
- Create Custom Looks
- Affordable

TRUE WHITE OAK



The True White Oak Series combines the best features of our Smooth and Oak Doors; a traditional oak grain pattern and pre-pigmented white skin that resists scratches and yellowing for years to come. True White Oak combines the elegance of oak graining with a UV-protected white skin for stylish versatility.

DOOR OVERVIEW



6'8"
2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"

DRW00



7'0"
2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"

DRW0070



8'0"
2'0" • 2'4" • 2'6" • 2'8" • 2'10" • 3'0" • 3'6"

DRW0080



6'8"
2'8" • 2'10" • 3'0"

DRW40



6'8"
2'8" • 2'10" • 3'0"

DRW41



7'0"
2'8" • 2'10" • 3'0"

DRW4170



6'8"
2'6" • 3'0"

DRW60



8'0"
2'6" • 2'8" • 3'0"

DRW6080



6'8"
2'8" • 2'10" • 3'0"

DRW61



7'0"
2'8" • 2'10" • 3'0"

DRW6170



7'0"
2'8" • 2'10" • 3'0"


DRW63



TRUE WHITE OAK FLUSH PANEL DOOR




GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

TRUE WHITE OAK FLUSH PANEL DOOR

6'8"



SPRFL7
SPRFL5 (2'6")

6'8"



TABFL7P
TABFL5P (2'6")

6'8"



MBC/MBLFL7
MBC/MBLFL5 (2'6")

7'0"




CAMFL7
CAMFL5 (2'6")

7'0"



PCLFL7
PCLFL5 (2'6")

7'0"



CHIFL7
CHIFL5 (2'6")

7'0"



ABRFL7Z
ABRFL5Z (2'6")

7'0"



ARTFL7P
ARTFL5P (2'6")

7'0"



ARZFL7Z
ARZFL5Z (2'6")

7'0"




BREFL7P/Z
BREFL5P/Z (2'6")

7'0"



CASFL7P
CASFL5P (2'6")

7'0"



CHRFL7P/Z

7'0"



ELZFL7P
ELZFL5P (2'6")

7'0"



KENFL7P
KENFL5P (2'6")

7'0"



OXFFL7

7'0"




RIVFL7
RIVFL5 (2'6")

7'0"



SOLFL7P
SOLFL5P (2'6")

7'0"



SPRFL7P
SPRFL5P (2'6")

7'0"



TABFL7P
TABFL5P (2'6")

7'0"



MBC/MBLFL7
MBC/MBLFL5 (2'6")

8'0"




CAMFL8
CAMFL6 (2'6")

8'0"



PCLFL8
PCLFL6 (2'6")

8'0"



CHIFL8
CHIFL6 (2'6")

8'0"



ABRFL8Z
ABRFL6Z (2'6")

8'0"



ARTFL8P

8'0"



ARZFL8Z

8'0"



BREFL8P/Z

8'0"



CASFL8P

TRUE WHITE OAK FLUSH PANEL DOOR

8'0"



ELZFL8P
ELZFL6P (2'6")

8'0"



KENFL8P

8'0"



OXFFL8

8'0"



SOLFL8P

8'0"



TABFL8P

8'0"



MBC/MBLFL8
MBC/MBLFL6 (2'6")

8'0"




CAMFL1 & FL2

8'0"



PCLFL1 & FL2

8'0"



CHIFL1 & FL2

8'0"



ABRFL1Z & FL2Z

8'0"



ARTFL1P & FL2P

8'0"



ARZFL1Z & FL2Z

8'0"



BREFL1P/Z & FL2P/Z

8'0"




CASFL1 & FL2

8'0"



ELZFLP1 & FL2P

8'0"



KENFLP1 & FL2P

8'0"



OXFFL1 & FL2

8'0"




RIVFL1

8'0"




SOLFL1P & FL2P

8'0"



SPRFL1P & FL2P

8'0"



TABFL1P & FL2P

8'0"



MBC/MBLFL1 & FL2

TRUE WHITE OAK FOUR PANEL BLANK TOP DOOR



GLASS OPTIONS



CASHR1P



CHRHR1P/Z



TABHR1P



CHIHL4



ARTHL4P



ARZHL4Z



BREHL4P/Z



CASHL4P



CHRHL4P/Z



ELZHL4P



KENHL4P



OXFHL4



RIVHL4



SOLHL4P

● IN STOCK

● EXTENDED LEAD TIME

FOUR PANEL BLANK TOP DOOR

6'8"



SPRHL4P

6'8"



TABHL4P

6'8"



MBC/MBLHL4

6'8"



CHIHL2

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2P/Z

6'8"



CASHL2P

6'8"



CHRHL2P/Z

6'8"



ELZHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



RIVHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1P

6'8"



MBC/MBLHL2



True White Oak Door • DRW00 • Glass TABFL7P

TRUE WHITE OAK TRUE FOUR PANEL DOOR




GLASS OPTIONS



TRUE FOUR PANEL DOOR

7'0"



CHIHL4

7'0"



ARTHL4P

7'0"



ARZHL4Z

7'0"



BREHL4P/Z

7'0"



CASHL4P

7'0"



CHRHL4P/Z

7'0"



ELZHL4P

7'0"



KENHL4P

7'0"



OXFHL4

7'0"



RIVHL4

7'0"



SOLHL4P

7'0"



SPRHL4P

7'0"



TABHL4P

7'0"



MBC/MBLHL4

6'8" 7'0"



CHIHL2

6'8" 7'0"



ARTHL2P

6'8" 7'0"



ARZHL2Z

6'8" 7'0"



BREHL2P/Z

6'8" 7'0"



CASHL2P

6'8" 7'0"



CHRHL2P/Z

6'8" 7'0"



ELZHL2P

6'8" 7'0"



KENHL2P

6'8" 7'0"



OXFHL2

6'8" 7'0"



RIVHL2

6'8" 7'0"




SOLHL2P

6'8" 7'0"



SPRHL2P

6'8" 7'0"



TABFL1P

6'8" 7'0"




MBC/MCLHL2

TRUE WHITE OAK SIX PANEL DOOR



GLASS OPTIONS



TRUE WHITE OAK SIX PANEL UTILITY DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

SIX PANEL UTILITY DOOR

7'0"



CHIHL4

7'0"



ARTHL4P

7'0"



ARZHL4Z

7'0"



BREHL4P/Z

7'0"



CASHL4P

7'0"



CHRHL4P/Z

7'0"



ELZHL4P

7'0"



KENHL4P

7'0"



OXFHL4

7'0"



RIVHL4

7'0"



SOLHL4P

7'0"



SPRHL4P

7'0"



TABHL4P

7'0"



MBC/MBLHL4

6'8" 7'0"



CHIHL2

6'8" 7'0"



ARTHL2P

6'8" 7'0"



ARZHL2Z

6'8" 7'0"



BREHL2P/Z

6'8" 7'0"



CASHL2P

6'8" 7'0"



CHRHL2P/Z

6'8" 7'0"



ELZHL2P

6'8" 7'0"



KENHL2P

6'8" 7'0"



OXFHL2

6'8" 7'0"



RIVHL2

6'8" 7'0"




SOLHL2P

6'8" 7'0"



SPRHL2P

6'8" 7'0"



TABFL1P

6'8" 7'0"



MBC/MBLHL2



True White Oak Door • DRW00 • Glass ABRFLZZ

TRUE WHITE OAK

TRUE SIX PANEL NARROW DOOR

6'8"



DRW63

SLW60

GLASS OPTIONS

6'8"



CHIHL4

6'8"



ARTHL4P

6'8"



ARZHL4Z

6'8"



BREHL4P/Z

6'8"



CASHL4P

6'8"



CHRHL4P/Z

6'8"



ELZHL4P

6'8"



KENHL4P

6'8"



OXFHL4

6'8"



RIVHL4

6'8"



SOLHL4P

6'8"



SPRHL4P

6'8"



TABHL4P

6'8"



MBC/MBLHL4

TRUE SIX PANEL NARROW DOOR

6'8"



CHIHL2P

6'8"



ARTHL2P

6'8"



ARZHL2Z

6'8"



BREHL2ZP/Z

6'8"



CASHL2P

6'8"



CHRL2ZP/Z

6'8"



ELZHL2P

6'8"



KENHL2P

6'8"



OXFHL2

6'8"



RIVHL2

6'8"



SOLHL2P

6'8"



SPRHL2P

6'8"



TABFL1

6'8"



MBC/MBLHL2



True White Oak Door • DRW00 • Glass ELZFL7P



ONELITE



Onelite Door • DRS1080B



Our Onelite Series creates the cleanest profiles available. It allows for an abundance of natural daylight and generous views. Doors are available with a Clear Double-Insulated Tempered Glass, LoE2, LoE3, GBG or MiniBlinds. Onelite Series Doors invite maximum light into your home using the most energy efficient technology.

ALL ONELITE DOORS ARE SHOWN PRE-FINISHED



This model complies with ADA standards and can accommodate ADA required hardware for easy operation. Reinforced blocking and closures allow the following flexible hardware to be installed: panic bars, reinforced arm closures, and exit rim devices. These devices are easy to grasp with one hand and don't require tight grasping or twisting to operate.



SMOOTH ADA DOOR

6'8"



3'0"

DRS11
Clear / LowE / Sound Barrier

7'0"



3'0"

DRS1170
Clear / LowE / Sound Barrier

8'0"



3'0"

DRS1180
Clear / LowE / Sound Barrier

SPECIAL ORDER
Sound Barrier Glass (STC:34) 3'6"
and 4'0" widths

● IN STOCK

● EXTENDED LEAD TIME

FEATURES & BENEFITS


REINFORCED STILES
For Panic Bar hardware
and Exit Rim devices.

6.5" TOP RAIL
Accommodates regular and
parallel arm closer.


5.5" FACE STILES
Accommodates all types
of commercial hardware
(including 2-3/4" backset
161 prep and mortise locks).



ONELITE FLUSH GLAZED FULL LITE DOOR



GLASS OPTIONS



FLUSH GLAZED FULL LITE DOOR

OAK GRAIN

6'8"



CLEAR / LowE

6'8"



G05

6'8"



ABRZ

6'8"



MINIBLIND
Clear / LowE



Onelite Oak Door • DRG10 G10

ONELITE FLUSH GLAZED HALF LITE DOOR



GLASS OPTIONS



ONELITE FLUSH GLAZED FULL LITE DOOR

SMOOTH



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

6'8"



CLEAR / LowE

6'8"



G05

6'8"



ABRZ

6'8"



MINIBLIND
CLEAR / LowE

8'0"



CLEAR / LowE

8'0"



G06

8'0"



ABRZ

8'0"



MINIBLIND
CLEAR / LowE



Onelite Mahogany Door • DRM13 • Accessory L09

ONELITE

FLUSH GLAZED HALF LITE DOOR

SMOOTH



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

ONELITE FLUSH GLAZE 3/4 LITE DOOR



GLASS OPTIONS



FLUSH GLAZED 3/4 LITE DOOR



GLASS OPTIONS



● IN STOCK ● EXTENDED LEAD TIME

ONELITE ACCESSORIES

AVAILABLE IN SMOOTH & MAHOGANY



8 & 10 Lite



6'8" ACSDM/S1368L08
8'0" ACSDM/S1380L10

9 Lite



6'8" ACSDM/S1368L09
8'0" ACSDM/S1380L09

SIMULATED DIVIDED LIGHTS "SDL" BARS

Plastpro SDL Bars, also known as Simulated Divided Lights, are an energy efficient alternative to true divided lights to prevent unwanted heat or cold to enter your home. They can be used on the interior and exterior of your doorlite to create personalized look or to replicate classic designs. Plastpro SDL Bars add the rich three-dimensional effect of traditional wood products, without the risk of warping, cracking or rotting.

Sidelite



6'8" ACSDM/S1368L02
8'0" ACSDM/S1380L02

FEATURES & BENEFITS

- Easy installation using common wood working tools and equipment.
- Will not rot or absorb moisture, and resists the growth of fungus and mildew.
- Closed cellular structure prevents paint from peeling from the surface.
- Will not warp or crack when properly installed, or be affected by UV rays when properly coated.



ACCESSORIES ARE APPLIED BY PLASTPRO DISTRIBUTORS/DEALERS

PRE-FINISHED STAIN KIT & STAINING GUIDES

Plastpro Prefinished Stain Kit is an easy way to stain your fiberglass door exactly how you want for you home.

We've created easy step-by step directions using our stain kit to make staining your door a breeze. These staining instructions were created for staining our oak, rustic, fir, cherry, and mahogany skin series.

Our kit is designed exclusively for Plastpro fiberglass entry doors.



PRE-FINISHED KIT

Plastpro Pre-finished Stain Kit contains everything you need to stain one prehung door and two sidelites, or one double door unit.

BENEFITS & ADVANTAGES

- Protects the door from the sun, UV rays, and harsh winter weather.
- Faster drying time with environmentally friendly water based top coat. Easy to apply
- Special formula with long lasting vibrant colors.


BOX CONTAINS

- Zar® Exterior Water-Based Polyurethane (qt)
- Zar® Wood Stain (pt)
- Mineral Spirits (4 oz.)
- Two 2" Foam Brushes
- One 2.5" Synthetic Bristle Brush
- Cheese Cloths
- Two Stir Sticks
- One Pair of Latex Gloves
- Door Staining Instructions
- Two Skin Samples

LIMITED
5-YEAR
FINISH
WARRANTY

STAIN COLOR OPTIONS

The kit comes in seven different stain variations. Depending on your desired shade, you may need to apply the stain more than once for a darker finish. *Actual stain color may vary. To achieve the best results, test on the skin sample first.



MATERIALS NEEDED

PLASTPRO'S PRE-FINISH KIT OR:

- | | |
|---------------------------------|---------------------------|
| A. Pre-Mixed Stain (1/2 pint) | F. 3" China Bristle Brush |
| B. Mineral Spirits (4 fl. oz.) | G. Two Stir Sticks |
| C. Top Coat/Sealer (20 fl. oz.) | H. Two Skin Samples |
| D. Two Clean Cloth | I. Finishing Instruction |
| E. One Pair Protective Gloves | |

STAINING INSTRUCTIONS FOR GRAINED DOORS & PFT™ DOOR FRAMES



STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want stained such as the glass insert.
3. DO NOT SAND GRAINED FIBERGLASS / PFT™ DOOR FRAMES
4. Wipe the Door / PFT™ Door Frame with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain.



STEP 2: STAIN APPLICATION

1. Starting at the center of the Door / PFT™ Door Frame, stain one to two panels at a time. Apply stain with a 3" to 4" soft bristle brush, or rag. Apply enough stain to fill the Door / PFT™ Door Frame grain.
2. With a clean, lint free 24" x 24" cloth, softly wipe the surface until you reach your desired tone. TIP: When the rag becomes saturated with stain, refold to work with a less saturated section. Be sure to use the same rag for the whole Door / PFT™ Door Frame.
3. After all stain is brushed evenly, you may add finishing touches by using a small 1" to 2" brush or cotton swabs.
4. (If desired) Allow the Door / PFT™ Door Frame to dry for at least 48 hours before applying another coat. Then, repeat above process.



STEP 3: PROTECTIVE TOP COAT

Application of polyurethane top coat with UV inhibitors like ZAR™ Exterior polyurethane, Wood Kote® Flagship UV, or Minwax® Fast Drying Polyurethane for exterior applications.

1. After stain has completely dried (48 hours), mix the top coat well and apply evenly using a clean dry 2" soft bristle brush or 3" foam brush. Be sure to stop when the grain changes direction.
2. Apply two or three coats of finish, allowing at least 24 hours of drying time between each application.

IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.
- Staining instructions are for Oil-Based, Premium Quality Wood Stains or similar product designed for use on a fiberglass surface. Please note the instructions indicated are specific to the Zar brand stain included in our stain kit. Please reference stain manufacturers instructions before applying any stain.

MATERIALS NEEDED

- | | |
|--------------------|--|
| A. Lint-free cloth | E. 4" Bristle Brush |
| B. Mineral Spirits | F. For Water-based Application: Acrylic-based primer*/ acrylic latex-based exterior grade paint. |
| C. Rubber gloves | |
| D. Masking tape | |

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

PAINTING INSTRUCTIONS FOR OAK GRAIN DOORS



STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. DO NOT SAND GRAINED FIBERGLASS.
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow door surface to dry completely before applying stain paint. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
5. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the primer to ALL 6 sides. Doors which have been bored and mortised for hardware should be primed inside of the lock bore as well.
6. The primer must be completely dry before applying the topcoat.



STEP 2: PAINTING

1. Apply exterior grade paint with 4" brush beginning with the panels.
2. It is common practice to paint both stiles the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware should be finished inside of the lock bore as well.

CAUTION

1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro, Inc. makes no representations as to the proper use of other manufacturers' products.
2. When working with paints or solvents, make sure the working area is well ventilated.
3. Keep away from heat and flame as materials may be combustible.
4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
5. Keep out of reach of children.

IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.

MATERIALS NEEDED

- A. Lint-free Cloth
- B. Mineral Spirits
- C. Rubber Gloves
- D. Masking Tape
- E. 4" Bristle Brush

F. For Water-based Application: Acrylic-based primer* / acrylic latex-based exterior grade paint.

G. Scotch Brite Pad (Fine) or 320-400 grit sandpaper
(For Smooth Doors Only)

We recommend using Sherwin-Williams PrepRite® Bonding Primer with compatible acrylic-latex paint for optimal paint adhesion.

PAINTING INSTRUCTIONS FOR DOORS & PF™ DOOR FRAMES



STEP 1: SURFACE PREPARATION

1. Lay door horizontally on saw horses or a table.
2. Remove all the hardware and mask off anything you don't want painted, such as the glass insert.
3. **Smooth Doors only.** Lightly scuff sand the surface with a Scotch Brite pad or fine sand paper. **DO NOT SAND GRAINED FIBERGLASS.**
4. Wipe the door with mineral spirits to clean any dust or residue from the surface. Allow acetone to dry from the surface before applying.
5. Do not use hydro-carbon based solvents to clean the surface as such products may leave a residue.
6. Apply primer with a 4" brush beginning with the panels. Follow the manufacturer's instructions for drying time before applying topcoat. Continue to apply the prime to ALL 6 sides. Doors / PF™ Door Frames which have been bored and mortised, or machined for hardware should be primed inside of the lock bore, or prepped area as well.
7. The primer must be completely dry before applying the topcoat.



STEP 2: PAINTING

1. Apply exterior grade paint with 4" brush beginning with the panels.
2. It is a common practice to paint both door stiles, or both PF™ Door Frame sides, the same color as the exterior side of the door. If applying a second coat, follow the manufacturer's instructions for drying time between coats.
3. Continue to apply the top coat to ALL 6 sides of the door which have been bored and mortised for hardware should be finished inside of the lock bore as well.

CAUTION

1. When using stains, mineral spirits, paints, or other hazardous materials, always read and follow the manufacturer's instructions. Plastpro Inc. makes no representations as to the proper use of other manufacturers' products.
2. When working with paints or solvents, make sure the working area is well ventilated.
3. Keep away from heat and flame as materials may be combustible.
4. Paints or solvents may cause skin and eye irritation. Avoid contact with skin and eyes.
5. Keep out of reach of children.

IMPORTANT TO NOTE:

- It is considered normal maintenance to re-apply the topcoat approximately every two years. Even a well-finished fiberglass door will be affected by exposure and weathering from sun, moisture, and air pollutants.



Onelite Door • DRS1080B



PLASTPRO DOORS & THEIR LEED CONTRIBUTIONS

		RUSTIC	OAK	SMOOTH	TRIMMABLE	FIRE RATED	HVHZ	PFTM™ DOOR FRAMES	TRIM BOARD
10%	Contributes To Total Project Value of Recycled Content	✓	✓	✓	✓	✓	✓	✓	
20%	Contributes To Total Project Value of Recycled Content	✓	✓	✓	✓	✓	✓	✓	
10%	Contributes To Total Project Value of Regional Materials	✓	✓	✓	✓	✓	✓	✓	
20%	Contributes To Total Project Value of Regional Materials	✓	✓	✓	✓	✓	✓	✓	
2.5%	Contributes To Total Project Value of Regional Materials	✓	✓	✓	✓	✓	✓	✓	

All Plastpro products that utilize structural wood members are sourced from vendors certified to SFI (Sustainable Forest Initiative), Plastpro does not offer products that are certified by FSC (Forest Stewardship Council)

	MATERIAL RESOURCE	REQUIREMENT
10%	RECYCLE CONTENT	The sum of post consumer recycle content plus one-half of pre-consumer content constitutes at least 10% of cost, for the total value of the materials for that project.
20%	RECYCLE CONTENT	The sum of post consumer recycle content plus one-half of pre-consumer content constitutes at least 20% of cost, for the total value of the materials for that project.
10%	REGIONAL MATERIALS	Use of building materials or products extracted, harvested, or recovered as well as manufactured, with-in 500 mi. of the project site (= > 10% total project material cost)
20%	REGIONAL MATERIALS	20% Use of building materials or products extracted, harvested, or recovered as well as manufactured, with-in 500 mi. of the project site (= > 20% total project material cost)
2.5%	RAPIDLY RENEWABLE MATERIAL	Use of building materials or products made from plants, typically harvested, with-in a ten-year cycle or shorter (= > 2.5% total project material cost)



PRODUCT INDEX

Easily locate all products within the catalog, including doors, sidelites, accessories and decorative glass.

PG 186 - 192

PFT™ DOOR FRAMES

CATEGORY	NAME	AVAILABLE GRAINS	PAGE
DOOR FRAME	4-9/16" Door Frame	Fir, Mahogany, Embossed, Primed, White Capped	9
	5-1/4" Door Frame	Embossed, Primed, White Capped	9
	6-9/16" Door Frame	Fir, Mahogany, Embossed, Primed, White Capped	9
	7-1/4" Door Frame	Embossed, Primed, White Capped	9
	WM180 Florida Brickmold	Fir, Mahogany, Embossed, Primed, White Capped	9
	WM176 Brickmold	Embossed, Primed	9
	1-1/2" x 1" Mull Cover	Fir, Mahogany, Embossed, Primed	9
	2" x 1" Mull Cover	Fir, Mahogany, Embossed, Primed	9
	1" x 2" Stuccomold	Primed	9
	4.528" x 17' Primed Backband	Primed	9
	3.21" x 6'8" Astragal	Embossed, Primed	9
	3.21" x 8'0" Astragal	Embossed, Primed	9
	.551" x 8'4" Sidelite Stopper	Embossed, Primed	9
	Nailing Fin	Embossed, Primed, White Capped	9
	J-Channel	Embossed, Primed, White Capped	9
	Flat casing	Embossed, Primed, White Capped	9
	Flat Casing J-Channel	Embossed, Primed, White Capped	9
	1-1/4" x 3" Jamb Extension	Fir, Mahogany, Embossed, Primed, White Capped	9
	1" x 2-1/2" Storm Door Extension	Fir, Mahogany, Embossed, Primed, White Capped	9
	1" x 3" Storm Door Extension	Fir, Mahogany, Embossed, Primed, White Capped	9
	4-9/16" Transom Sill	Fir, Mahogany, Embossed, Primed, White Capped	9
	6-9/16" Transom Sill	Fir, Mahogany, Embossed, Primed, White Capped	9
	Mull Post w/ LVL-3P	Embossed, Primed, White Capped	9

FIBERGLASS ENTRY SYSTEMS

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
LIMITED	DRC21	6'8"	2'8", 2'10", 3'0"	Two Panel	21 - 33
	DMT51	6'8"	2'8", 2'10", 3'0", 3'6"	Modern Teak Milan Door	34
	DMT5170	7'0"	3'0", 3'6"	Modern Teak Milan Door	34
	DRK2B	6'8"	2'8", 2'10", 3'0"	Two Panel	35
MODERN	DMG46	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	South Beach, Oak Grain	38
	DMG4680	8'0"	2'6", 2'8", 2'10", 3'0", 3'6"	South Beach, Oak Grain	38
	DMG51	6'8"	2'6", 2'8", 2'10", 3'0"	Napoli, Oak Grain	38
	DMG5180	8'0"	2'6", 2'8", 2'10", 3'0"	Napoli, Oak Grain	38
	DMS1L	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	Bienvenue Left Lite, Smooth Skin	39
	DMS1L80	8'0"	3'0", 3'6"	Bienvenue Left Lite, Smooth Skin	39
	DMS1R	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	Bienvenue Right Lite, Smooth Skin	40
	DMS1R80	8'0"	3'0", 3'6"	Bienvenue Right Lite, Smooth Skin	40
	DMS1T	6'8"	2'6", 2'8", 2'10", 3'0", 3'6"	Martinique Twin Lite, Smooth Skin	41
	DMS1T80	8'0"	3'0", 3'6"	Martinique Twin Lite, Smooth Skin	41
	DMS3HI	6'8"	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	42
	DMS3H80I	8'0"	2'6", 2'8", 2'10", 3'0"	Empire, Smooth Skin	42

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE	
MODERN	DMS5HI	6'8"	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	42	
	DMS5H80I	8'0"	2'6", 2'8", 2'10", 3'0"	Infinity, Smooth Skin	42	
RUSTIC	DRAPC	6'8"	2'6", 3'0", 3'6"	True Plank, Arch Top	46	
	DRAPC70	7'0"	2'6", 3'0", 3'6"	True Plank, Arch Top	46	
	DRAPC80	8'0"	2'6", 3'0", 3'6"	True Plank, Arch Top	46	
	DRAPR	6'8"	2'6", 3'0", 3'6"	True Plank, Radius Top	46	
	DRAPR70	7'0"	2'6", 3'0", 3'6"	True Plank, Radius Top	46	
	DRAPR80	8'0"	2'6", 3'0", 3'6"	True Plank, Radius Top	46	
	DRATP	6'8"	2'6", 3'0", 3'6"	True Plank, Square Top	47	
	DRATP70	7'0"	2'6", 3'0", 3'6"	True Plank, Square Top	47	
	DRATP80	8'0"	2'6", 3'0", 3'6"	True Plank, Square Top	47	
	DRA1A80	8'0"	3'0", 3'6"	One Panel, Arch Plank	47	
	DRA1C80	8'0"	3'0", 3'6"	One Panel, Arch Plank, Arch Top	48	
	DRA1P	6'8"	3'0"	One Panel, Square Plank	48	
	DRA1P80	8'0"	3'0", 3'6"	One Panel, Square Plank	48	
	DRA2A	6'8"	3'0"	Two Panel, Arch Plank	49	
	DRA2A80	8'0"	3'0", 3'6"	Two Panel, Arch Plank	49	
	DRA2B	6'8"	2'10", 3'0"	Two Panel, Square Panel	50	
	DRA2C	6'8"	3'0"	Two Panel, Arch Plank, Arch Top	51	
	DRA2C80	8'0"	3'0", 3'6"	Two Panel, Arch Plank, Arch Top	51	
	DRA2D	6'8"	2'10", 3'0", 3'6"	Two Panel, Arch Panel	52	
	DRA2E	6'8"	2'10", 3'0", 3'6"	Two Panel, Arch Panel, Arch Top	53	
	DRA2F80	8'0"	3'0"	Two Panel, Radius Panel, Radius Top	53	
	DRA2P80	8'0"	3'0", 3'6"	Two Panel, Square Plank	54	
	DRA2R80	8'0"	3'0"	Two Panel, Radius Panel	54	
	DRA4C80	8'0"	3'0", 3'6"	Four Panel, Radius Panel, Radius Top	55	
	DRA4R80	8'0"	3'0", 3'6"	Four Panel, Radius Panel	55	
	ACCLP12Q	1 1/2"	1 1/2"	Square Clavos	56	
	ACCLP14Q	1 1/4"	1 1/4"	Square Clavos	56	
	ACCLP12R	1 1/2"	1 1/2"	Round Clavos	56	
	ACCLP14R	1 1/4"	1 1/4"	Round Clavos	56	
	ACCHGSTP18	2 1/9"	18"	Wrought Iron Hinge Strap	57	
	ACCSPKY0910KIT	15 1/4"	8 3/4"	Wrought Iron Speakeasy	57	
	ACCSPKYGSB0KIT	11 8/9"	9 8/9"	Wrought Iron Speakeasy	57	
	MAHOGANY	DRM3D	6'8"	3'0"	Three Panel Deluxe	60
		DRM4E	6'8"	3'0"	Four Panel Eyebrow	61
DRM40		6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	62 - 64	
DRM41		6'8"	3'6"	True Four Panel	65	
DRM60		6'8"	3'0"	Six Panel	66	
DRM6080		8'0"	3'6"	Six Panel	66	
FIR GRAIN	DRF3C	6'8"	3'0"	Direct Glazed Craftsman	70	
	DRF3C80	8'0"	3'0"	Direct Glazed Craftsman	70 - 71	
	DRF3F	6'8"	2'8", 2'10", 3'0"	Three Panel Shaker Craftsman	72	
	DRF3F80	8'0"	3'0"	Three Panel Shaker Craftsman	72	
	DRF50	6'8"	2'8", 2'10", 3'0"	Five Panel Shaker Craftsman	72	

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
FIR GRAIN	ACDSFT2704	3 5/8"	27"	4 Block Dentil Shelf	73
	ACSDF23001	1 1/2"	17 1/8" (4 pcs)	3-Lite SDL Bars for 6'8" Door	73
	ACSDF23005	1 1/2"	23" (4 pcs)	3-Lite SDL Bars for 8'0" Door	73
	ACSDF23002	1 1/2"	25 3/4" (2 pcs), 8 2 1/32" (8 pcs)	6-Lite SDL Bars for 6'8" Door	73
	ACSDF23006	1 1/2"	26" (2 pcs), 11 3/16" (8 pcs)	6-Lite SDL Bars for 8'0" Door	73
	ACSDF23004	1 1/2"	8 3/4" (2 pcs)	2-Lite SDL Bars for 6'8" and 8'0" Sidelite	73
OAK GRAIN	DRG00	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	76 - 78
	DRG0070	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	76 - 78
	DRG0080	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	76 - 78
	DRG20	6'8"	3'0"	3/4 Heritage	80
	DRG29	6'8"	2'8", 2'10", 3'0"	3/4 Two Panel	81 - 82
	DRG2980	8'0"	2'8", 2'10", 3'0"	3/4 Two Panel	81 - 82
	DRG3E	6'8"	3'0"	3/4 Elite	84
	DRG3P	6'8"	3'0"	3/4 Premium	85
	DRG3080	8'0"	2'8", 3'0", 3'6"	3/4 Three Panel	86 - 87
	DRG31	6'8"	3'0"	Three Panel	88
	DRG3170	7'0"	3'0"	Three Panel	88
	DRG40	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	89 - 90
	DRG41	6'8"	2'8", 2'10", 3'0", 3'6"	True Four Panel	92 - 93
	DRG4170	7'0"	2'8", 2'10", 3'0"	True Four Panel	92 - 93
	DRG4180	8'0"	2'8", 2'10", 3'0"	True Four Panel	92 - 93
	DRG4B	6'8"	2'8", 2'10", 3'0"	Four Panel w/ 10" Bottom Rail	92 - 93
	DRG49	6'8"	2'8", 2'10", 3'0"	3/4 Four Panel	95
	DRG6C	6'8"	3'0"	Six Panel Craftsman	97
	DRG60	6'8"	2'6", 3'0"	Six Panel	98
	DRG6080	8'0"	2'6", 2'8", 3'0", 3'6"	Six Panel	98
	DRG61	6'8"	2'8", 2'10", 3'0"	Six Panel Utility	99 - 100
	DRG6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	99 - 100
	DRG6180	8'0"	2'8", 2'10", 3'0"	Six Panel Utility	99 - 100
	DRG6B	6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	99 - 100
	DRG63	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	102
	DRG80	6'8"	3'0"	Eight Panel, Center Arch	104
	DRG8080	8'0"	3'0", 3'6"	Eight Panel, Center Arch	104
	DRG90	6'8"	2'8", 3'0"	Nine Panel	105
DRG9180	8'0"	3'0"	Nine Panel	106	
ACDSGT2704	3"	27"	4 Block Dentil Shelf	107	
ACDSGT2716	3 2/3"	27 1/9"	16 Block Dentil Shelf	107	
SMOOTH	DRS00	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	112 - 114
	DRS0070	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	112 - 114
	DRS0080	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0", 3'6"	Flush	112 - 114
	DRS2B	6'8"	2'8", 2'10", 3'0"	Two Panel	115 - 116
	DRS2B80	8'0"	2'8", 2'10", 3'0"	Two Panel	115 - 116
	DRS2D	6'8"	2'8", 2'10", 3'0"	Two Panel, Arch Panel	118 - 119
	DRS2D80	8'0"	2'8", 2'10", 3'0"	Two Panel, Arch Panel	118 - 119
	DRS2G	6'8"	2'8", 2'10", 3'0"	Cottage Two Panel	120

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE	
SMOOTH	DRS2G80	8'0"	2'8", 2'10", 3'0"	Cottage Two Panel	120 - 121	
	DRS20	6'8"	3'0"	3/4 Heritage	122	
	DRS29	6'8"	2'8", 2'10", 3'0"	3/4 Two Panel	123	
	DRS2980	8'0"	2'8", 2'10", 3'0"	3/4 Two Panel	123 - 124	
	DRS3C	6'8"	3'0"	Direct Glazed Craftsman	126	
	DRS3C80	8'0"	3'0"	Direct Glazed Craftsman	126	
	DRS3E	6'8"	3'0"	3/4 Elite	127	
	DRS3F	6'8"	2'8", 2'10", 3'0"	Three Panel Shaker Craftsman	128	
	DRS3F80	8'0"	3'0"	Three Panel Shaker Craftsman	128	
	DRS3P	6'8"	3'0"	3/4 Premium	129	
	DRS3080	8'0"	2'8", 3'0", 3'6"	3/4 Three Panel	130 - 131	
	DRS31	6'8"	3'0"	Three Panel	132	
	DRS3170	7'0"	3'0"	Three Panel	132	
	DRS40	6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	133 - 134	
	DRS4B	6'8"	2'8", 2'10", 3'0"	Four Panel w/ 10" Bottom Rail	135	
	DRS41	6'8"	2'8", 2'10", 3'0"	True Four Panel	135	
	DRS4170	7'0"	2'8", 2'10", 3'0"	True Four Panel	135 - 136	
	DRS4180	8'0"	2'8", 2'10", 3'0"	True Four Panel	135 - 136	
	DRS42	6'8"	2'6"	Four Panel Blank Top	133	
	DRS49	6'8"	2'8", 2'10", 3'0"	3/4 Four Panel	138	
	DRS50	6'8"	2'8", 2'10", 3'0"	Five Panel Shaker Craftsman	140	
	DRS6C	6'8"	3'0"	Six Panel Craftsman	141	
	DRS60	6'8"	2'6", 3'0"	Six Panel	142	
	DRS6080	8'0"	2'6", 2'8", 3'0"	Six Panel	142	
	DRS6B	6'8"	2'8", 2'10", 3'0"	Six Panel w/ 10" Bottom Rail	143	
	DRS61	6'8"	2'8", 2'10", 3'0"	Six Panel Utility	143	
	DRS6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	143 - 144	
	DRS6180	8'0"	2'8", 2'10", 3'0"	Six Panel Utility	143 - 144	
	DRS63	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	146	
	DRS80	6'8"	3'0"	Eight Panel, Center Arch	148	
	DRS8080	8'0"	3'0", 3'6"	Eight Panel, Center Arch	148	
	DRS90	6'8"	2'8", 3'0"	Nine Panel	149	
	ACSDW23005			17 1/8" (4 pcs)	3-Lite SDL Bars for 6'8" Door	150
	ACSDW23001			23" (4 pcs)	3-Lite SDL Bars for 8'0" Door	150
	ACSDW23006			25 3/4" (2 pcs), 8 21/32" (8 pcs)	6-Lite SDL Bars for 6'8" Door	150
	ACSDW23002			26" (2 pcs), 11 3/16" (8 pcs)	6-Lite SDL Bars for 8'0" Door	150
	ACSDW23004			8 3/4" (2 pcs)	2-Lite SDL Bars for 6'8" and 8'0" Sidelite	150
	ACDSSW2404			24"	4 Block Dentil Shelf	150 - 151
	ACDSSW2704			27"	4 Block Dentil Shelf	150 - 151
	ACDSSW2716			27 1/9"	16 Block Dentil Shelf	150 - 151
	TRUE WHITE OAK	DRW00	6'8"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	154 - 155
		DRW0070	7'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	154 - 155
		DRW0080	8'0"	2'0", 2'4" 2'6", 2'8", 2'10", 3'0"	Flush	154 - 156
DRW40		6'8"	2'6", 2'8", 2'10", 3'0"	Four Panel Blank Top	157 - 158	
DRW41		6'8"	2'8", 2'10", 3'0"	True Four Panel	160	

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
TRUE WHITE OAK	DRW4170	7'0"	2'8", 2'10", 3'0"	True Four Panel	160 - 161
	DRW60	6'8"	2'6", 3'0"	Six Panel	162
	DRW6080	8'0"	2'6", 3'0"	Six Panel	162
	DRW61	6'8"	2'6", 2'8", 2'10", 3'0"	Six Panel Utility	163
	DRW6170	7'0"	2'8", 2'10", 3'0"	Six Panel Utility	163 - 164
	DRW63	6'8"	2'8", 2'10", 3'0"	True Six Panel Narrow	166
ONELITE SMOOTH ADA	DRS11	6'8"	3'0"	Full Lite	170
	DRS1170	7'0"	3'0"	Full Lite	170
	DRS1180	8'0"	3'0"	Full Lite	170
ONELITE OAK GRAIN	DRG10	6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	Flush Glazed Full Lite	171
	DRG10 G10	6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	10 Lite GBG	171
	DRG10 G15	6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	15 Lite GBG	171
	DRG10 ABRZ	6'8"	2'6", 2'8", 3'0"	Flush Glazed with Aberdeen Glass	171
	DRG10B	6'8"	2'6", 2'8", 2'10", 3'0"	Full Lite with Miniblinds	171
	DRG1070	7'0"	2'6", 2'8", 2'10", 3'0"	Flush Glazed Full Lite	171
	DRG1070 G10	7'0"	2'6", 2'8", 2'10", 3'0"	10 Lite GBG	171
	DRG1070 G15	7'0"	2'6", 2'8", 2'10", 3'0"	15 Lite GBG	171
	DRG1070 ABRZ	7'0"	2'6", 2'8", 2'10", 3'0"	Flush Glazed with Aberdeen Glass	171
	DRG1070B	7'0"	2'6", 2'8", 2'10", 3'0"	Full Lite with Miniblinds	171
	DRG1W80	8'0"	2'6", 2'8", 3'0"	Flush Glazed Full Lite	171
	DRG1W80 G12	8'0"	2'6", 2'8", 3'0"	12 Lite GBG	171
	DRG1W80 ABRZ	8'0"	2'6", 2'8", 3'0"	Flush Glazed with Aberdeen Glass	171
	DRG1W80B	8'0"	2'6", 2'8", 3'0"	Full Lite with Miniblinds	171
	DRG12	6'8"	2'8", 3'0"	Flush Glazed Half Lite	173
	DRG12 G09	6'8"	2'8", 3'0"	9 Lite GBG	173
	DRG12B	6'8"	2'8", 3'0"	Half Lite with Miniblinds	173
ONELITE SMOOTH	DRS10	6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	Flush Glazed Full Lite	174
	DRS10 G10	6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	10 Lite GBG	174
	DRS10 G15	6'8"	2'0", 2'4", 2'6", 2'8", 2'10", 3'0"	15 Lite GBG	174
	DRS10 ABRZ	6'8"	2'6", 2'8", 3'0"	Flush Glazed with Aberdeen Glass	174
	DRS10B	6'8"	2'6", 2'8", 2'10", 3'0"	Full Lite with Miniblinds	174
	DRS1070	7'0"	2'6", 2'8", 2'10", 3'0"	Flush Glazed Full Lite	174
	DRS1070 G10	7'0"	2'6", 2'8", 2'10", 3'0"	10 Lite GBG	174
	DRS1070 G15	7'0"	2'6", 2'8", 2'10", 3'0"	15 Lite GBG	174
	DRS1070 ABRZ	7'0"	2'6", 2'8", 2'10", 3'0"	Flush Glazed with Aberdeen Glass	174
	DRS1070B	7'0"	2'6", 2'8", 2'10", 3'0"	Full Lite with Miniblinds	174
	DRS1Z80	8'0"	2'6", 2'8", 3'0"	Flush Glazed Full Lite	174
	DRS1Z80 G12	8'0"	2'6", 2'8", 3'0"	12 Lite GBG	174
	DRS1Z80 ABRZ	8'0"	2'6", 2'8", 3'0"	Flush Glazed with Aberdeen Glass	174
	DRS1Z80B	8'0"	2'6", 2'8", 3'0"	Full Lite with Miniblinds	174
	DRS12	6'8"	2'8", 3'0"	Flush Glazed Half Lite	176
	DRS12 G09	6'8"	2'8", 3'0"	9 Lite GBG	176
	DRS12B	6'8"	2'8", 3'0"	Half Lite with Miniblinds	176
	DRS13	6'8"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	177
DRS1380	8'0"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	177	

SERIES	CODE	HEIGHT	WIDTH	DESCRIPTION	PAGE
ONELITE MAHOGANY	DRM13	6'8"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	178
	DRM1380	8'0"	2'6", 2'8", 3'0"	Flush Glazed 3/4 Lite	178
	ACSDM/S1368L08C	1 1/4"	48 5/32" (2 pcs), 12 59/64" (12 pcs)	8-Lite SDL Bars for 6'8" Door	179
	ACSDM/S1380L10C	1 1/4"	64 5/32" (2 pcs), 12 59/64" (16 pcs)	10-Lite SDL Bars for 8'0" Door	179

THE DOOR OF BEAUTY AND INNOVATION



THE DOOR OF BEAUTY AND INNOVATION



PlastproInc.com

5200 W. Century Blvd, 9th Floor ■ Los Angeles, CA 90045

Phone: (800) 779-0561 ■ Fax: (310) 693-8620



© 2018 Plastpro Inc. All Rights Reserved

Product # MKLFLB2018 Printed January 2018